



# Preview - Information



Thank you for your interest in this product. Within this preview, you will see:

- ✓ A selection of Ready-To-Use Google Slides Lessons.
- ✓ A selection of worksheets included in the workbook.

When you make a purchase, you will receive a folder that contains the .pdf workbook file and a link to where you can make a copy of the Google Slides Lessons unit to your Google Drive.

Thank you for shopping with us. Please let us know if you have any questions at:

[rob@supersimplesheets.com](mailto:rob@supersimplesheets.com)



# Google Slides Lessons Preview





# Ontario Math Curriculum

## Algebra – Patterns, Equations – Grade 7

### 3-Part Lesson Format

#### Part 1 – Minds On!

- Learning Goals
- Discussion Questions
- Quotes
- And More!

**LEARNING GOAL**

We are learning to identify and describe repeating and growing patterns to understand how they work and how they connect to math and real-life examples.

#### Repeating A/B Patterns

Label the A/B patterns below and then drag the shapes to extend the pattern. Answer the questions below.

1) 

A	B	C	C	A	B	C	C	A	B	C	C

a) What will the 16<sup>th</sup> term in the pattern be?  
b) What will the 33<sup>rd</sup> term in the pattern be?

2) 

A	B	C	B	A	A	B	C	B	A	A	B

a) What will the 20<sup>th</sup> term in the pattern be?  
b) What will the 45<sup>th</sup> term in the pattern be?

#### Part 2 – Action!

- Writing
- Matching
- Drag and Drop
- Drawing
- And More!

#### Part 3 – Consolidation!

- Exit Cards
- Quizzes
- Reflection
- And More!

#### Consolidation - Multiple-Choice Questions

Drag the checkmark to answer the following multiple-choice questions about the topic.

1) Which pattern is increasing, but not by a constant amount each time? 1) 10, 12, 14, 16, 18 2) 1, 2, 4, 8, 16 3) 3, 6, 9, 12, 15 4) 30, 25, 20, 15, 10	2) The pattern 4, 9, 14, 19, 24 can be described by which rule? 1) Start at 4 and multiply by 5 each time 2) Start at 9 and add 4 each time 3) Start at 4 and add 4 each time 4) Start at 4 and add 5 each time	3) Which statement best describes how these two patterns grow? Pattern A: 6, 9, 12, 15, 18 Pattern B: 6, 12, 24, 48, 96 1) Both patterns increase by adding the same number each time. 2) Pattern A increases by multiplication; Pattern B increases by addition. 3) Pattern A increases by addition; Pattern B increases by multiplication. 4) Both patterns increase by multiplying by the same number each time.
--	---	---



# Ontario Math Curriculum

## Algebra - Patterns, Equations - Grade 7

### Decreasing Pattern Rules

Fill in the boxes and blanks to complete the patterns by figuring out the pattern rules.

#	PATTERN	RULE
1)	420 400 380	Start at _____, then subtract _____ each time
2)	335 320 305	Start at _____, then subtract _____ each time
3)	222 215 208	Start at _____, then subtract _____ each time
4)	504 490 476	Start at _____, then subtract _____ each time
5)	626 617 608	Start at _____, then subtract _____ each time

Rule: add 11

In	Out
452	
	765

Rule: multiply 4

In	Out
11	
	88

Rule: subtract 7


In	Out
386	
	590

Rule: divide 6


In	Out
36	
	13

Translate the increasing pattern below:


A gardener plants flowers in a row. On Day 1, there are 3 flowers planted. Each day after that, 3 more flowers are added.




Day 1



Day 2




Day 3



Day 4

Term Number (Day)	1	2	3	4	5	9	15
Term Value (Flowers)							





# Ontario Math Curriculum

## Algebra - Patterns, Equations - Grade 7

### Linear and Non-Linear Patterns

Look at the patterns below and fill in the table of values. Then, complete the graph. Is the line straight?

Term Number	1	2	3	4	5
Term Value					

Is this pattern linear or non-linear? Explain.

How many blocks would be in term number 12?

### Bridge

A class is competing to build the longest bridge using toothpicks. The squares are connected so that they share one side.

Term Number (Squares)	1	2	3	4	5	20
Term Value (# of toothpicks)						

Write an algebraic expression that represents the function.

2) If you have exactly 34 toothpicks, how many connected squares can you build?

### Flow Chart

Complete the flow chart.

2) $b + 11 = 34$		5) $e - 13 = 54$	
3) $c - 6 = 43$		6) $f + 15 = 68$	
4) $d + 8 = 32$		7) $g - 20 = 79$	
		8) $h + 25 = 83$	



# Workbook Preview



**Grade 7**  
**C1. Patterns and Relationships**

	Curriculum Expectations	Pages That Cover the Expectations
<b>C1.1</b>	identify and compare a variety of repeating, growing, and shrinking patterns, including patterns found in real-life contexts, and compare linear growing patterns on the basis of their constant rates and initial values	5 - 7, 10, 44 - 53, 55 - 59
<b>C1.2</b>		9, 46,
<b>C1.3</b>	determine pattern rules and use them to extend patterns, make and justify predictions, and identify missing elements in repeating, growing, and shrinking patterns involving whole numbers and decimal numbers, and use algebraic representations of the pattern rules to solve for unknown values in linear growing patterns	8 - 9, 11 - 32, 36, 40 - 43, 54 - 59
<b>C1.4</b>	create and describe patterns to illustrate relationships among integers	61 - 75

**Preview of 120 pages from  
this product that contains  
397 pages total.**

## Table of Values – Finding Term N

When finding a random term in a pattern, we can use a variable. Often  $n$  is used to take the place of the term number. When we use  $n$ , we can change the value to find the term value for any term number.

We can find the value for  $n$  by looking at the pattern between the term number and term value (functional relationship). To do this, we look across the table from the term number to the term value.

Practise finding the pattern rule when you look across the table of values.

Term Number	Term Value
1	5
2	10
3	15
4	20
5	25
8	

$$5n$$

Term Number	Term Value
1	1
2	4
3	7
4	10
5	13
9	11

$$3n - 2$$

Term Number	Term Value
1	6
2	12
3	18
4	24
	30
10	

Term Number	Term Value
1	4
2	6
3	8
4	10
5	12
9	

Term Number	Term Value
1	5
2	15
3	25
4	35
5	45
10	

Term Number	Term Value
1	6
2	9
3	12
4	15
5	18
11	

## Table of Values – Finding Term N

**Practice**

Find the pattern rule when you look across the table of values.

Term Number	Term Value
1	5
2	12
3	19
4	26
5	33
8	

Term Number	Term Value
1	16
2	17
3	18
4	19
5	20
9	

Term Number	Term Value
1	11
2	17
3	23
4	29
5	35
11	

Term Number	Term Value
1	17
2	24
3	31
4	38
5	45
11	

Term Number	Term Value
1	6
2	10
3	14
4	18
5	22
11	

Term Number	Term Value
1	5
2	14
3	23
4	32
5	41
11	

**Word Problem**Use a table of values and find the  $n^{\text{th}}$  term.

Dennis won 8 points for beating level 1 in a video game. He got 18 for beating level 2 and he received 28 points for beating level 3.

- If the pattern continues, how many points will he get for beating level 4?
  
- How many points will he get for beating level 10?

## Using Algebraic Expressions

In the expression  $6y + 5$ , the 6 is the **numerical coefficient** of the variable and the 5 is the **constant term**. The **variable** is the  $y$ , which can represent any number.

### Part 1

Use the algebraic expression to fill in the tables.

Term Number	Term Value
1	5
2	9
3	
4	
5	
8	

$$4x + 1$$

Term Number	Term Value
1	
2	
3	
9	

Term Number	Term Value
1	
2	
3	
4	
5	
11	

$$t + 8$$

Term Number	Term Value
1	
2	
3	
4	
5	
11	

$$6n - 7$$

Term Number	Term Value
1	
2	
4	
5	
10	
20	

$$20 \div x + 5$$

Term Number	Term Value
1	
2	
4	
5	
11	

$$8x - 6$$

### Part 2

Write 4 algebraic expressions using:

Variable =  $n$    Constant term = 6   Numerical coefficient = 3

1	
2	

3	
4	

## Pattern Rule – Input/Output Tables

**Instructions** Fill in the input/output tables below by using the expression provided.

In	Out
$n$	$2n$
1	
2	
3	
4	
5	

In	Out
$n$	$2n + 3$
1	
2	
3	
4	
5	

In	Out
$n$	$5n - 5$
1	
2	
3	
4	
5	

In	Out
$x$	$3x - 3$
10	
20	
30	
40	
50	

In	Out
$x$	$2x + 2$
2	
4	
6	
8	
10	

In	Out
$x$	$20 + x$
1	
2	
3	
4	
5	
6	
7	
8	
9	

In	Out
$p$	$3p + 10$
20	
40	
60	
80	
100	

In	Out
$p$	$10p - 12$
3	
6	
9	
12	
15	

In	Out
$p$	$7p + 20$
5	
10	
15	
20	
25	

Name: \_\_\_\_\_

25

## Activity Title: Algebraic Adventure Hunt

### Objective

What are we learning about?

To help students understand and practice filling in input/output tables using given expressions involving all four operations through a fun and engaging treasure hunt.

### Materials

What will you need for the activity?

- Stopwatch or timer (and use a smartphone)
- Index cards
- Markers
- Small prizes or stickers (optional)
- Tape



### Instructions

How will you complete the activity?

- 1) Cut out the input/output tables provided. They will be used as the hunt challenge questions.
- 2) Hide these cards around the classroom or in a designated area of the school. You can tape them under chairs, desks, or tucked into non-obvious spots.
- 3) Divide the class into small teams and give each team a stopwatch or timer.
- 4) Explain the game: each team will hunt for a card, solve the problem on it as quickly as they can, and return to you for verification.
- 5) Start the timer when you say "Go!" Each team rushes to find their first card.
- 6) When a team thinks they have the correct answer, they come back to you for verification. If they get it right, the teacher keeps the card. If the answer is wrong, they can try again or hide the card back in its original spot and find a new card.
- 7) The game continues until all cards are found or you call time. The team with the most correct answers wins.
- 8) Discuss the game, focusing on the concepts taught on the cards.

## Instructions

Cut out the cards below.

In $j$	Out $34j \div 2$	In $f$	Out $f \div 2 + 17$	In $c$	Out $14c \div 2$	In $p$	Out $10p - 12$
3		12		3			
	102		29				8
9		36		7		3	
12			41			4	
15		60					38
In $k$	Out $k + 20$	In $i$	Out $22i$		Out $52e - 3$	In $x$	Out $12x$
100		1		10		2	
150		2			777		48
200		3		20		6	
250		4		25			96
300		5			1557	10	





## Increasing Patterns

**Instructions**

How many blocks are in each term? Sketch the next 3 terms.

A)






1) Describe the pattern rule in your own words.

2) Represent the pattern using an algebraic expression:

3) How many blocks will the 15<sup>th</sup> term have?4) How many blocks will the 30<sup>th</sup> term have?

B)



1) Describe the pattern rule in your own words.

2) Represent the pattern using an algebraic expression:



3) How many blocks will the 25<sup>th</sup> term have?4) How many blocks will the 50<sup>th</sup> term have?

# Graphing Increasing Patterns

## Questions



Translate the increasing patterns into a table of values and a line graph.

1) Stacy marks an x each day for how many pieces of fruit she eats.



Term Number (Day)	1	2	3	4	5	8	15
Term Value (Fruit Pieces)							

2) Chris puts a rectangle for every book he reads in the first 5 months of school.



Term Number (Month)						7	20
Term Value (Books Read)							

# Increasing Patterns

## Questions

How many shaded blocks are in each term? Sketch the next 2 terms.





Figure Number	1		5	7	10
Number of Grey Blocks					

1) Describe the pattern rule:

2) How many blocks will the 7<sup>th</sup> term have?

3) How many blocks will the 10<sup>th</sup> term have?

Blocks





1    2    3    4    5  
Figure Number

## Decreasing Patterns

### Questions



How many blocks are in each term. Sketch the next 3 terms.

1)






Describe the pattern.

2)



Describe the pattern rule.

3)



Describe the pattern rule.


**PREVIEW**

## Graphing Shrinking Patterns

### Questions



Translate each decreasing pattern into a table of values and a line graph.

1) Jane kept track of how many times she smiled in an hour.



Term Number				
Term Value				

2) Sam counted how many push-ups he could do every minute for 5 minutes.



Term Number				
Term Value				

## Decreasing Patterns

### Questions

How many total blocks are in each term. Sketch the next 2 terms.

1)







Figure Number	3	4	5	6
Number Of Grey Blocks				
Number Of White Blocks				
Number Of Total Blocks				

1) Describe the pattern rule for the total blocks.

2) Describe the pattern rule for the white blocks.

3) Describe the pattern rule for the grey blocks.

Total Blocks



1    2    3    4    5

Figure Number

## Writing Algebraic Expressions


**Practice**

Answer the question below.

1)	Situation	Expression/Answer
a)	Blake sells lemonade at his stand. For every sale ( $s$ ), he earns \$5. Write the expression.	
b)	Blake made 12 sales Monday. How much money did he make? Write the expression and the answer.	
c)	Blake sold 225 cups of lemonade this week, how much money did he make? Write the expression and the answer.	
d)	Blake earned \$100 from selling lemonade. How many cups ( $c$ ) did he sell?	

2)	Situation	Expression/Answer
a)	Sandy earns \$14 for every hour ( $h$ ) she works. She has to spend \$2 each time she works to take the bus. Write the expression.	
b)	Sandy worked 8 hours yesterday. How much money did she take home? Write the expression and the answer.	
c)	Sandy worked 12 hours today. How much money did she take home? Write the expression and the answer.	

3)	Situation	Expression/Answer
a)	Jake is driving across Alberta to visit a friend. For every hour ( $h$ ) he drives, he travels 110km. Write the expression.	
b)	Jake drove 8 hours today. How far did he go? Write the expression and the answer.	
c)	Jake needs to drive 1430km. How many hours does he need to drive? Write the expression.	

## Uncovering the Relation Between Variables

When we discover a pattern between two things (variables), we need to identify the term number and the term value.

**Example:** determine the number of students and adults in a school, if there are 20 times more students than adults.

### Clues

- There are two terms to quantify – students and adults
- There are 20 times more students than adults, so the number of students to adults is  $x$  20
- We call adults as the term number. The letter  $a$  will represent the number of adults.
- The number of students is the term value. The letter  $s$  will represent the number of students.
- The relation is  $s = 20a$  or  $20a = s$

**Scenarios** Write the relation for each of the scenarios below.

	Scenario	Relation
Ex.	The number of chairs present in the class ( $c$ ) for every 1 student ( $s$ )	$c = s$
1)	The number of wheels present in a collection of cars if each car has 4 wheels	
2)	The number of pencils there are in class if each student in class has 3 pencils each	
3)	The number of shoes that are in your class if each student has 2 shoes	
4)	How many total cans collected for a food drive in a school if each class brings on average 25 cans	
5)	The number of students absent today if there is always 1 person absent for every 10 students in a class	

**Your Turn** Write your own scenarios and the relation that solves the problem.

	Scenario	Relation
1)		
2)		

## Constant Rate of Change

A **constant rate** is a rate of change that remains the same and does not go up or down. For example, when you are paid \$20 an hour, the rate of change is constant because for every hour you work, your pay goes up by the same amount - \$20.

### Instructions

Fill in the tables below to show a constant rate of change.

- 1) Phil's earnings today has been represented in the table below 

Days Worked	1	2	3	4	5	6	7	8
Money Earned	42	63						

What is the rate of change? \_\_\_\_\_ Is the rate of change constant? Yes No

- 2) Laura sells cars. She earns commission when she sells a car. Her earnings for last week are represented in the table below. There were some days she did not earn commission.

Days Worked	1	2	4	6	7
Money Earned (\$)	105	210	315	420	1300

- a) Is the rate of change constant? Yes No
- b) What day do you think Laura sold the most cars? \_\_\_\_\_
- c) How much did she earn that day? \_\_\_\_\_
- d) How much do you think Laura made if she didn't sell a car? \_\_\_\_\_

- 3) Kim sells necklaces that she made. Her sales have been represented in the table.

Necklaces Sold	10	20	30	40	50	60	70	80
Money Earned (\$)	30	60	90					

- a) What is the rate of change? \_\_\_\_\_ Is the rate of change constant? Yes No
- b) How much would Kim sell 1000 necklaces for? \_\_\_\_\_ 5000 necklaces: \_\_\_\_\_



# Linear and Non-Linear Patterns


Not all patterns are linear. Some patterns increase/decrease by the same amount each time, while others grow/shrink at different rates. When the pattern grows or shrinks by different amounts, it is called **non-linear**.

## Instruction


Look at the patterns below and fill in the table of values. Then complete the graph. Is the line straight?




Term Number	Term Value
1	
2	
3	



1) Is this pattern linear or non-linear? Explain.



Term Number	Term Value
1	
2	
3	
4	
5	









1) Is this pattern linear or non-linear? Explain.

2) How many blocks would be in term number 10?

**Increasing Linear Patterns – Yes or No?****Instructions**

Circle if the pattern displayed on the graph is linear.



## Increasing Linear Patterns – Yes or No?

### Instructions

Circle if the pattern is linear, based on the table of values.

Term Number	Term Value
1	2
2	6
3	10
4	14
5	18
Linear	Non-Linear

Term Number	Term Value
1	10
2	16
3	20
4	26
5	32
Linear	Non-Linear

Term Number	Term Value
1	15
2	18
3	21
4	25
5	28
Linear	Non-Linear

Term Number	Term Value
1	14
2	19
3	24
4	29
5	34
Linear	Non-Linear

Term Number	Term Value
1	2
2	4
3	6
4	60
5	74
Linear	Non-Linear

Term Number	Term Value
1	25
2	75
3	125
4	175
5	225
Linear	Non-Linear

Term Number	Term Value
1	112
2	126
3	138
4	152
5	166
Linear	Non-Linear


Term Number	Term Value
1	210
2	260
3	310
4	360
5	410
Linear	Non-Linear

Term Number	Term Value
1	500
2	650
3	700
4	850
5	1000
Linear	Non-Linear

# Linear and Non-Linear Patterns

## Instruction

Look at the graphs closely. Answer the questions below.



1) How are the lines the same?

---



---

2) How are the lines different?

---



---

3) What could these three lines represent?

---



---

1) How are the lines the same?

---



---

2) How are the lines different?

---




---

3) What could these three lines represent?

---



---



# Comparing Rates of Change

## Questions

Circle which variable ( $x$  or  $y$ ) increases at a greater rate of change?

1) Term Number	1	2	3	4	5
$x$	15	30	45	60	75
$y$	5	25	45	65	85
	$x$	or	$y$		

2) Term Number	1	2	3	4	5
$x$	35	70	105	140	175
$y$	50	80	110	140	170
	$x$	or	$y$		

3) Term Number	1	2	3	4	5
$x$	225	340	400	460	
$y$	125		275	325	
	$x$	or	$y$		

4) Term Number	1	2	3	4	5
$x$	612	635	658	681	704
$y$	548	575	602	629	656
	$x$	or	$y$		

5) Term Number	1	2	3	4	5
$x$	315	450	585	720	855
$y$	438	579	720	861	1002
	$x$	or	$y$		

6) Term Number	1	2	3	4	5
$x$	530	715	900	1085	1270
$y$	655	829	1003	1177	1351
	$x$	or	$y$		

## Comparing Rates of Change - Employees

Jeffrey is the boss at his company. He determines how much to pay his employees. Sometimes, Jeffrey pays his employees a starting bonus, where they get a one-time payment for starting their job.



### Questions

Who will get paid more money over time?

Weeks	0	1	2	3	4	5	6	7
<b>Colton's Earnings (\$)</b>	750	1000	1250	1500	1750			
<b>Spencer's Earnings (\$)</b>	0	400	800	1200	1600			

- Who will earn more after 7 weeks? \_\_\_\_\_
- How much is \_\_\_\_\_'s earnings per week? \_\_\_\_\_
- How much is Spencer's earnings per week? \_\_\_\_\_
- Whose earnings increase at a greater rate? \_\_\_\_\_



Weeks	0	1	2	3	4	5	6	7
<b>Jacob's Earnings (\$)</b>	1550	2000	2450	2900				
<b>Jeremy's Earnings (\$)</b>	0	650	1300	1950				

- Who will earn more after 7 weeks? \_\_\_\_\_
- How much is Jacob's earnings per week? \_\_\_\_\_
- How much is Jeremy's earnings per week? \_\_\_\_\_
- If we graphed both of their earnings, whose graph would be steeper? \_\_\_\_\_



Weeks	0	1	2	3	4	5	6	7
<b>Amelia's Earnings (\$)</b>	0	600	1200	1800	2400			
<b>Raven's Earnings (\$)</b>	250	825	1400	1975	2550			

- Who earned a bonus to start their job? \_\_\_\_\_
- How much is Amelia's earnings per week? \_\_\_\_\_
- How much is Raven's earnings per week? \_\_\_\_\_



## Exit Cards

Cut Out

Cut out the exit cards below and have students complete them at the end of class.

Name: \_\_\_\_\_

Who will plant more trees over time?

Ethan and Mia are planting trees in a community park. They each plant a certain number of trees each month.

Month	0	1	2	3	4	5	6	7
E	360	620	880	1140	1400			
M	0	400	800	1200	1600			

Who will have planted more trees after 7 months? \_\_\_\_\_

How many trees does Ethan plant per month? \_\_\_\_\_

How many trees does Mia plant per week? \_\_\_\_\_

Name: \_\_\_\_\_

Who will plant more trees over time?

Ethan and Mia are planting trees in a community park. They each plant a certain number of trees each month.

Month	0	1	2	3	4	5	6	7
E	360	620	880	1140	1400			
M	0	400	800	1200	1600			

Who will have planted more trees after 7 months? \_\_\_\_\_

How many trees does Ethan plant per month? \_\_\_\_\_

How many trees does Mia plant per week? \_\_\_\_\_

Name: \_\_\_\_\_

Who will plant more trees over time?

Ethan and Mia are planting trees in a community park. They each plant a certain number of trees each month.

Month	0	1	2	3	4	5	6	7
E	360	620	880	1140	1400			
M	0	400	800	1200	1600			

Who will have planted more trees after 7 months? \_\_\_\_\_

How many trees does Ethan plant per month? \_\_\_\_\_

How many trees does Mia plant per week? \_\_\_\_\_

Name: \_\_\_\_\_

Who will plant more trees over time?

Ethan and Mia are planting trees in a community park. They each plant a certain number of trees each month.

Month	0	1	2	3	4	5	6	7
E	360	620	880	1140	1400			
M	0	400	800	1200	1600			

Who will have planted more trees after 7 months? \_\_\_\_\_

How many trees does Ethan plant per month? \_\_\_\_\_

How many trees does Mia plant per week? \_\_\_\_\_

## Writing Algebraic Expressions – Growing Pattern

### Questions

Draw the 4<sup>th</sup> and 5<sup>th</sup> term, then answer the questions.

				
Term 1	Term 2	Term 3	Term 4	Term 5

1) Questions	Expression
a) Write an expression that represents how many shapes are in the pattern.	
b) How many shapes will be in the 10 <sup>th</sup> term?	
c) How many shapes will be in the 20 <sup>th</sup> term?	
d) How many <b>rectangles</b> will be in the 5 <sup>th</sup> term?	
e) How many <b>stars</b> will be in the 1000 <sup>th</sup> term?	

				
Term 1	Term 2	Term 3	Term 4	Term 5

2) Questions	Expression
a) Write an expression that represents how many shapes are in the pattern.	
b) How many shapes will be in the 10 <sup>th</sup> term?	
c) How many shapes will be in the 20 <sup>th</sup> term?	
d) How many <b>rectangles</b> will be in the 50 <sup>th</sup> term?	


## Picnic Word Problem – T-Tables

### Challenge

Answer the word problem below. Use the T-Table to help.

You have been put in charge of organizing the end of the year banquet for your baseball team. You want to have as many seats as you can.

The diagram below shows how many people can sit at the tables.



a) Fill in the table below to learn about the pattern of how many people can attend the banquet.

Tables	1	2	3	5	10	20	50
# of Seats							

b) Write the algebraic expression you used to find the # of seats.

c) What if you didn't put the tables together? Would 8 tables fit together or less than 8 tables apart? Draw a diagram to help and fill in the table below.

Tables	1	2	3	4	5	6	20	50
# of Seats	4							

d) Write the algebraic expression you could use to solve any number of tables.

## Hockey Tickets – Challenge Problem

**Challenge**

Answer the word problem below.

Nathan is organizing a trip to see a hockey game with his friends. The cost for the bus rental is \$200. The cost per person is \$20.

a) Write an algebraic expression that represents the cost if  $p$  people go.

b) How much will the trip cost Nathan if 5 people go?

c) How much will the trip cost Nathan if 20 people go?

d) Nathan wants to offer food as well. Suppose the food costs \$10 per person. Write an algebraic expression that represents the cost of the bus, food, and ticket if  $p$  people go.

e) Suppose 20 people attend the hockey game and get food. How much will it cost Nathan?

f) How much will Nathan charge each person if 20 people go?



# Ice Cream Sundae – Challenge Problem

**Challenge**

Answer the word problem below.

At Ivy's Ice Cream Shop, a plain ice cream sundae costs \$5.00. Each extra topping costs \$0.50.

- a) Write an algebraic expression that represents the cost of a sundae with  $e$  extra toppings.



- b) Alex wants to order a sundae with 5 toppings. How much will it cost?

- c) Warren ordered a sundae with 8 toppings. How much will it cost Warren?



- d) Warren paid with a \$20 bill. How much change did he receive?

- e) On Thursdays, sundaes are half price! Write an algebraic expression that represents the cost of a sundae with  $e$  extra toppings.

- f) Dan ordered a sundae on Thursday with 10 toppings. How much did it cost him?



## Integer Pattern – Adding Word Problem

-20	-19	-18	-17	-16	-15	-14	-13	-12	-11	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----	----	----	----	----	----	----	----	----

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----

### Instructions

Answer the word problem below.

Richard is playing football. He plays defense, so he is often running backwards. He decides to track his steps forwards and backwards. For every step forward, he adds 1. For every step backward, he adds -1.

- a) Each quarter, Richard takes 50 steps forwards, and -100 steps backwards. If every step forward is considered a step forward, how many steps did Richard take in the 4 quarters of the game?



- b) Fill in the table of values that relates how many steps Richard takes in two games (8 quarters).

1	2	3	4	5	6	7	8

- c) Write an algebraic expression to help you solve how many steps forward Richard took in  $n$  number of quarters.



- d) In 5 games, does Richard take more steps forward or backward?
- e) How many steps does Richard take in 5 games?

## Pattern Using Negative Integers – Olivia's Money


### Instructions

Answer the problems below.

Olivia owes her sister \$100, and she has no other money. Therefore, she has  $-\$100$ . Luckily, she gets an allowance of  $\$15$  a week.

Fill in the table of values below to learn more about how long it will take Olivia to pay back her sister.

Term Number	Term Value (Money)



- Graph the table of values.
- How many weeks will it take for Olivia to pay back her sister?
- Is this a linear pattern? Explain how you know.
- Use the graph to determine how much money Olivia will have in 12 weeks.
- Use an algebraic expression to determine how much money Olivia will have in 26 weeks.

# Integer Patterns – Writing Subtraction Rules

-20	-19	-18	-17	-16	-15	-14	-13	-12	-11	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----	----	----	----	----	----	----	----	----

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
---	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----

**Instructions**

Write a subtraction pattern rule and complete the pattern.

1)

3

-3

-6

2)

-2

7

3)

-5

-7

-9

4)

10

7

4

1

5)

18

13

8

3

6)

-19

-13

-7

-1

7)

-3

-6

-9

-12

8)

12

9

6

3

# Integer Patterns – Average Temperatures

## Instructions

Fill in the blanks below using the pattern rule.

In one of the coldest cities in Canada, the average temperature in January is  $-32^{\circ}\text{C}$ . Every month after January until August, the temperature warms  $+8^{\circ}\text{C}$ . In September, the pattern reverses, with the temperature decreasing each month by  $-11^{\circ}\text{C}$ . From December to January, the temperature drops  $-12^{\circ}\text{C}$ .

Month	Temperature
January	$-32$
February	
March	
April	
May	
June	
July	
August	
September	
October	
November	
December	

a) Fill in the table to display the average temperatures each month.

b) What is the difference in temperatures between January and August?



c) What is the pattern rule from January to

d) What is the pattern rule from September to December?

e) What is the difference in temperatures between February and July?

f) Which month has the biggest change in temperature?



g) If you wanted to escape the coldest winter months, which months would you travel south for?

## Task Cards: Patterning – All Operations

### Objective


What are we learning about?

To recognize and create patterns using the four basic mathematical operations.

### Materials

What will you need for the activity?

- 24 task cards
- Sets of answer recording sheets
- Pencils



### Instructions

What will you do for the activity?

1. Introduce the concept of patterns using the four basic operations and their relevance to problem-solving in everyday life.
2. Organize the students into pairs and provide each pair with their sets of task cards.
3. Give each pair an answer recording sheet to record their answers.
4. Encourage teamwork by having students collaborate on finding solutions.
5. Allow students to select any task card to begin with, emphasizing that they can complete the cards in any order they prefer.
6. Instruct students to record the letter of their chosen answer (A, B, or C) on their answer sheet beside the task card's number.
7. Consider using a timer to create a dynamic challenge, adjusting the duration to fit the lesson's objectives and complexity.
8. After the activity, review the answers collectively, discussing any challenging patterns and strategies used to solve them.
9. Have students reflect on the activity, sharing the methods they applied and obstacles they overcame.

## Task Cards

Cut out the task cards below.

**Card 1:**

Start with 60. Add 20 and then divide by 4 for the next number. What is the second number?

- a) 20
- b) 15
- c) 25

**Card 5:**

Begin with 25. Subtract 5 and then divide by 2 for the next number. What is the third number?

- a) 7.5
- b) 10
- c) 12.5

Begin with 75. Multiply by 2 for the next number. What is the third number?

- a) 75
- b) 150
- c) 50

**Card 6:**

Start at 50 and subtract 10 each time. What is the fourth number?

- a) 10
- b) 20
- c) 30

**Card 3:**

Start with 30. Divide by 3 and then add 10 for the next number. What is the second number?

- a) 20
- b) 15
- c) 30

Start with 100. Divide by 2 and then subtract 10 for the next number. What is the third number?

- a) 10
- b) 20
- c) 32

**Card 4:**

Start at -10, add 5 each time. What is the third number?

- a) 0
- b) 5
- c) 10

**Card 8:**

Begin with 200. Divide by 5 and then subtract 15 for the next number. What is the third number?

- a) 5
- b) 10
- c) 20

## Task Cards

Cut out the task cards below.

**Card 17:**

Start with  $-32$ . Divide by  $8$  and then subtract  $2$  for the next number. What is the second number?

- a)  $-2$
- b)  $6$
- c)  $-6$

**Card 21:**

Start with  $36$ . Divide by  $6$  and then add  $7$  for the next number. What is the second number?

- a)  $13$
- b)  $12$
- c)  $15$

**Card 22:**

Begin with  $120$ . Subtract  $40$  and then divide by  $4$  for the next number. What is the third number?

- a)  $20$
- b)  $10$
- c)  $15$

**Card 19:**

Begin with  $45$ . Subtract  $15$  and then multiply by  $2$  for the next number. What is the second number?

- a)  $30$
- b)  $15$
- c)  $60$

**Card 20:**

Start with  $50$ . Multiply by  $2$  and then subtract  $25$  for the next number. What is the second number?

- a)  $75$
- b)  $50$
- c)  $100$

**Card 24:**

Start at  $100$ , subtract  $25$  each time. What is the fourth number?

- a)  $25$
- b)  $0$
- c)  $50$

## Integer Patterns - Exponents

**Part 1** Investigate patterns when squaring integers.

$1^2$	$2^2$	$3^2$	$4^2$	$5^2$	$6^2$	$7^2$	$8^2$	$9^2$	$10^2$

**Part 2** Investigate the use of powers of 10.

		$10^3$	$10^4$	$10^5$

$10^6$	$10^7$	$10^8$	$10^9$	$10^{10}$

**Part 3** What happens when we multiply powers of 10?











Number	$\times 10$	$10^1$	$10^3$	$10^7$
3				
5				
9				
15				
22				
52				
103				

# Algebra Quiz - Patterning

## Part 1

Label the A/B patterns below and then extend the pattern.

1)

1) What is the 3th term in the pattern be?

2) What is the 30th term in the pattern be?

## Part 2

How many blocks are in each term? Sketch the next 3 terms.

1)




1) Describe the recursive relationship between the number of blocks.

2) Represent the pattern using an algebraic expression:

3) How many blocks will the 15<sup>th</sup> term have?

4) How many blocks will the 30<sup>th</sup> term have?

2)



					

Describe the recursive relationship between the number of blocks.

## Part 3

Translate the growing patterns into a table of values and a graph.

Claire marks an x each day for how many vegetables she eats.



Term Number (Day)

10

25

Term Value (Vegetables)

## Part 4

Fill in the input/output tables below.

Rule: add 7

In	Out
135	
142	
163	
178	

Rule: multiply by 3

In	Out
3	
5	
8	
11	

Rule: subtract 8

In	Out
26	
453	
488	

In

 $n$ 

Out

 $2n + 5$ 

1

2

3

4

5

In

 $n$ 

Out

 $2n + (-3)$ 

5

10

15

20

25

In

 $n$ 

Out

 $n - (-5)$ 

-1

-2

-3

-4

-5

**Part 5** Answer the word question below.

Admission to Fun Haven is \$10. For each ride in Fun Haven, it costs an additional \$2.

a) Write an algebraic expression that represents the cost to enter Fun Haven and ride extra  $e$  rides.


b) Claire entered the park and has gone on 8 rides. How much did it cost her?

c) Claire has \$20 at the park. How many rides can she go on?

d) Fill in the table below to represent the costs related to going to Fun Haven.

<b>Number of Rides</b>	0	1	2	4	5	6
<b>Total Cost</b>						

e) Translate the table of values into a line graph.



f) Is the rate of change constant?

YES      NO

g) What is the rate of change?



## Part 6

Who will get paid more money over time?

Weeks	0	1	2	3	4	5	6	7
Sam's Earnings (\$)	500	650	800	950				
Logan's Earnings (\$)	0	250	500	750				

- a) Who will earn more after 7 weeks? \_\_\_\_\_
- b) How much more does Sam's earnings per week? \_\_\_\_\_
- c) How much more does Logan's earnings per week? \_\_\_\_\_
- d) Whose earnings increase at a greater constant rate? \_\_\_\_\_
- e) Who received the money without working? \_\_\_\_\_



## Part 7

Draw the 4th and 5th terms. Answer the questions.

Term 1	Term 2	Term 3	Term 4	Term 5

Questions	Expression
a) Write an expression that represents how many shapes are in the pattern.	
b) How many shapes will be in the 10 <sup>th</sup> term?	
c) How many shapes will be in the 20 <sup>th</sup> term?	
d) How many rectangles will be in the 100 <sup>th</sup> term?	
e) How many stars will be in the 1000 <sup>th</sup> term?	

**Grade 7**  
**C2. Equations and Inequalities**

	<b>Curriculum Expectations</b>	<b>Pages That Cover the Expectations</b>
<b>C2.1</b>	add and subtract monomials with a degree of 1 that involve whole numbers, using tools	81 - 88
<b>C2.2</b>	evaluate algebraic expressions that involve whole numbers and decimal numbers	89 - 102
<b>C2.3</b>	solve equations that involve multiple terms, whole numbers, and decimal numbers in various contexts, and verify solutions	103 - 159
<b>C2.4</b>	solve inequalities that involve multiple terms and whole numbers, and verify and graph the solutions	160 - 178

# Adding Monomials



## Questions

Add the monomials together.

1)  $5n + 2n$

= \_\_\_\_\_n

2)  $7p + 2p$

= \_\_\_\_\_p

3)  $16t + 11t$

= \_\_\_\_\_t

4)  $17b + 1b$

= \_\_\_\_\_b

5)  $27n + 34n$

= \_\_\_\_\_n

6)  $24p + 39p$

= \_\_\_\_\_p

7)  $5y + 11y + 13y$

= \_\_\_\_\_y

8)  $15r + 23n$

= \_\_\_\_\_n

9)  $27x + 36x + 34x$

= \_\_\_\_\_x

10)  $n + n + 91n$

= \_\_\_\_\_n

11)  $14y + 9y + 18y$

= \_\_\_\_\_y

12)  $4r + 24p + 21p$

= \_\_\_\_\_p

13)  $15y + 14y + 29y$

= \_\_\_\_\_y

14)  $22n + 34n + n + 9n$

= \_\_\_\_\_n

15)  $8y + 12y + 7y + 23y$

= \_\_\_\_\_y

16)  $17y + 24y + 35y + 25y$

= \_\_\_\_\_y

17)  $33t + 27t + 13t + 7t$

= \_\_\_\_\_t

18)  $a + 94a + 15a + 21a$

= \_\_\_\_\_a

# Adding Monomials



## Multiple Choice

Circle the correct answer.

1) $10s + 6s$	6) $22p + 7p$
a) $16s$	a) $29$
b) $15s$	b) $28$
c) $16$	c) $29p$
d) $16s^2$	d) $29p^2$
2) $59x + 20$	7) $65n + 37n$
a) $59x$	a) $97n$
b) $59b^2$	b) $102n$
c) $59b$	c) $102n^2$
d) $59$	d) $102n^2$
3) $12y + 9y + 8y$	8) $24n^2 + 15n$
a) $28y$	a) $67n^2$
b) $28y^2$	b) $67n$
c) $29y$	c) $67n^2$
d) $29y^2$	d) $67n$
4) $n + 63n + 46n$	9) $18y + 19y + 14y + 11y$
a) $110$	a) $59y$
b) $111n$	b) $58y$
c) $110n$	c) $59y^2$
d) $111$	d) $58y^2$
5) $22y + 13y + 28y + y + y$	10) $27n + 22n + 11n + 8n$
a) $64y$	a) $68n$
b) $65y^2$	b) $68n^2$
c) $65y$	c) $67n^2$
d) $66y$	d) $67$

# Adding Monomials



## Questions

Add the monomials together.

1)  $6n + 2c + 3c + 5n$

2)  $9s + 2r + 7s$

= \_\_\_\_\_ c

= \_\_\_\_\_ s    = \_\_\_\_\_ r

18n + 22c

4)  $15n + 11c + 13c + 15n$

= \_\_\_\_\_ n

= \_\_\_\_\_ c

= \_\_\_\_\_ n

= \_\_\_\_\_ c

5)  $15s + 21r + 13s$

$3s + 11r + 15s + 8r$

= \_\_\_\_\_ s

= \_\_\_\_\_ r

= \_\_\_\_\_ s

= \_\_\_\_\_ r

7)  $9n + 14c + 11c + 25n$

8)  $21n + 27c + 15n + 11c$

= \_\_\_\_\_ n

= \_\_\_\_\_ c

= \_\_\_\_\_ n

= \_\_\_\_\_ c

9)  $32y + 54b + 41b + 35y$

10)  $48n + 63c + 71c + 85n$

= \_\_\_\_\_ y

= \_\_\_\_\_ b

= \_\_\_\_\_ n

= \_\_\_\_\_ c

PREVIEW

## Simplifying Expressions - Adding Monomials

### Questions

Simplify the expressions by solving one step at a time.



$$1) \quad 3m + 9m + (7y + 10y)$$

$$\quad \underline{3m + 9m + 17y}$$

$$\quad \underline{12m + 17y}$$

$$2) \quad 15s + (2r + 9r) + 7s$$

$$= \underline{\quad} s \quad = \underline{\quad} r$$

$$3) \quad 8n + 17y + (28p)$$

$$4) \quad (19n + 11n) + 14c + 21c$$

$$= \underline{\quad} n \quad = \underline{\quad} y \quad = \underline{\quad} p$$

$$5) \quad 25s + 22s + (21r + 16r)$$

$$6) \quad 6s + (21r + 18r) + 8r + m$$

$$= \underline{\quad} s \quad = \underline{\quad} r \quad = \underline{\quad} m$$

$$7) \quad 11y + 13n + 17c + 13c + 28n + 3y$$

$$8) \quad 26n + (31y + 14c) + 22n$$

$$= \underline{\quad} n \quad = \underline{\quad} c \quad = \underline{\quad} y$$

$$9) \quad c + 41y + 36b + 31b + 35y + c$$

$$10) \quad 51n + (65c + 51c) + 35n + (11y + 9y)$$

$$= \underline{\quad} y \quad = \underline{\quad} b \quad = \underline{\quad} c \quad = \underline{\quad} n \quad = \underline{\quad} c \quad = \underline{\quad} y$$

# Adding Monomials – Missing Addend

## Part 1

What is the value of the missing addend?

1)		$3y + \boxed{6y} = 9y$
2)		$8m + \boxed{\phantom{00}} = 15m$
3)		$\phantom{00} + \boxed{\phantom{00}} = 23t$
4)		$14b + \boxed{\phantom{00}} = 29b$
5)		$\phantom{00} + \boxed{\phantom{00}} = 29$
6)		$15r + \boxed{\phantom{00}} = 70$
7)		$18t + \boxed{\phantom{00}} = 27t$
8)		$46y + \boxed{\phantom{00}} = 52y$
9)		$19n + \boxed{\phantom{00}} = 35n$
10)		$33b + \boxed{\phantom{00}} = 59b$

11)		$32y + \boxed{\phantom{00}} = 46y$
12)		$41t + \boxed{\phantom{00}} = 59t$
13)		$57b + \boxed{\phantom{00}} = 66b$
14)		$43k + \boxed{\phantom{00}} = 75k$
15)		$72y + \boxed{\phantom{00}} = 89y$
16)		$87n + \boxed{\phantom{00}} = 109n$
17)		$105b + \boxed{\phantom{00}} = 129b$
18)		$\phantom{00} + \boxed{\phantom{00}} = 115y$
19)		$9r + \boxed{\phantom{00}} = 107r$
20)		$134t + \boxed{\phantom{00}} = 272t$

## Part 2

Write an addition equation using the monomials provided.

1)	9y	23y	14y
3)	22b	35b	13b
5)	54y	73y	19y

2)	24n	16n	8n
4)	19c	26c	45c
6)	41n	33n	74n

## Subtracting Monomials - Tiles

### Questions

Subtract the monomials by crossing out the tiles you've subtracted.

1)  $8n - 4n - 3n$

n	n	n	n
n	n	n	n

2)  $12p - 5p - 4p$

p	p	p	p	p	p
p	p	p	p	p	p

3)  $15s - 7s - 4s$

s	s	s	s	s	s	s	s
s	s	s	s	s	s	s	s

4)  $18c - 12c - 3c$

c	c	c	c	c	c	c	c	c	c
c	c	c	c	c	c	c	c	c	c

5)  $17b - 9b - 3b$

b	b	b	b	b	b	b	b	b	b
b	b	b	b	b	b	b	b	b	b

6)  $20y - 5y - 3y$

y	y	y	y	y	y	y	y	y	y
y	y	y	y	y	y	y	y	y	y

7)  $21c - 7c - 11c$

c	c	c	c	c	c	c	c	c	c	c
c	c	c	c	c	c	c	c	c	c	c

8)  $24n$

n	n	n	n	n	n	n	n	n	n	n	n	n	n	n
n	n	n	n	n	n	n	n	n	n	n	n	n	n	n

9)  $30r - 5r - 3r$

r	r	r	r	r	r	r	r	r	r	r	r	r	r	r	r	r	r
r	r	r	r	r	r	r	r	r	r	r	r	r	r	r	r	r	r

10)  $27n - 17n - 8n$

n	n	n	n	n	n	n	n	n	n	n	n	n	n	n	n	n	n
n	n	n	n	n	n	n	n	n	n	n	n	n	n	n	n	n	n

PREVIEW

**Subtracting Monomials****Questions**

Subtract the monomials.

1)  $7n - 2n$

$= \underline{\quad}n$

2)  $9p - 4p$

$= \underline{\quad}p$

3)  $15t - 10t$

$= \underline{\quad}t$

5)  $28n - 14n$

$= \underline{\quad}n$

6)  $34p - 19p$

$= \underline{\quad}p$

7)  $21y - 11y - y$

$= \underline{\quad}y$

9)  $29x - 16x - 4x$

$= \underline{\quad}x$

10)  $33n - 11n - 11n$

$= \underline{\quad}n$

11)  $39y - 7y - 8y$

$= \underline{\quad}y$

12)  $42p - 24p - 24p$

13)  $65y - 24y - 15y$

$= \underline{\quad}y$

14)  $52n - 34n - n - 11n$

$= \underline{\quad}n$

15)  $57y - 12y - 7y - 9y$

$= \underline{\quad}y$

16)  $77y - 24y - 25y - 25y$

$= \underline{\quad}y$

17)  $63t - 17t - 13t - 7t$

$= \underline{\quad}t$

18)  $94a - 25a - 21a - a$

$= \underline{\quad}a$

## Equation or Expression?

### Questions

Is the number sentence an expression or equation?

1) Paul has 5 cookies but needs enough for 10 people.  $5 + c = 10$	Equation	Expression
2) The pattern has the following rule:  $3n - 1$	Equation	Expression
3) Maria wants to run 30 km in the week. She has already run 22km.  $22 + d = 30$	Equation	Expression
4) The cost to enter an arena is \$20 per person per ticket.  $20t$ or $(t \times 20)$	Equation	Expression
5) Jeff works at a garden centre and earns \$15 per hour. He can figure out his pay by using the following:  $15h$ or $(h \times 15)$	Equation	Expression
6) Bailey made \$200 last week working with her mom. She worked 10 hours.  $10 \times w = 200$	Equation	Expression
7) Jane had 150 candies to give away on Halloween. She has 30 left.  $150 - c = 30$	Equation	Expression
8) Ashley had 200 candies to give away on Halloween. She will give 2 candies to each kid. How many kids can she give candy to?  $200 \div 2 = k$	Equation	Expression
9) Candy bags come in 30 packs. The total number of candies is represented below:  $30b$	Equation	Expression

## Exit Cards

Cut Out

Cut out the exit cards below and have students complete them at the end of class.

Name: \_\_\_\_\_

Is the number sentence an expression or equation? Circle the answer:

1) The total cost of bananas at \$0.30 per banana can be calculated using the following:  $0.30b$ 

Expression      Equation

2) Jake has 48 marbles and wants to divide them equally among his 6 friends. The number of marbles each friend will get is represented by:  $48 \div 6 = m$ 

Expression      Equation

Name: \_\_\_\_\_

Is the number sentence an expression or equation? Circle the answer:

1) The total cost of bananas at \$0.30 per banana can be calculated using the following:  $0.30b$ 

Expression      Equation

2) Jake has 48 marbles and wants to divide them equally among his 6 friends. The number of marbles each friend will get is represented by:  $48 \div 6 = m$ 

Expression      Equation

Name: \_\_\_\_\_

Is the number sentence an expression or equation? Circle the answer:

1) The total cost of bananas at \$0.30 per banana can be calculated using the following:  $0.30b$ 

Expression      Equation

2) Jake has 48 marbles and wants to divide them equally among his 6 friends. The number of marbles each friend will get is represented by:  $48 \div 6 = m$ 

Expression      Equation

Name: \_\_\_\_\_

Is the number sentence an expression or equation? Circle the answer:

1) The total cost of bananas at \$0.30 per banana can be calculated using the following:  $0.30b$ 

Expression      Equation

2) Jake has 48 marbles and wants to divide them equally among his 6 friends. The number of marbles each friend will get is represented by:  $48 \div 6 = m$ 

Expression      Equation

## Writing Algebraic Expressions

Using algebraic expressions helps us understand mathematical situations. We can use a variable to replace a changing number, like how many tickets are sold to a game -  $t \times 10$

### Part 1

Write each algebraic expression in words.  
Use the words "a number" in place of the variable.

1)  $7 - t$

Seven subtract a number

2)  $n$

3)  $8 + b$

4)  $9r$

5)  $\frac{y}{5}$

### Part 2

Write an algebraic expression for each situation.

1) Nineteen add a number

2) Divide a number by three

3) A number is subtracted by nineteen

4) Triple a number and add seven

5) Subtract 19 from a number, then multiply by four

## Writing Algebraic Expressions - Treats

A mathematical expression is similar to an equation, but it does not have an equal sign. We use expressions to describe a mathematical situation.

### Instructions

Write the expressions for the situations below.

1) Lindsay has  $y$  amount of cookies. She gives 27 cookies away to the students in her class.

Expression:



2) Cora has  $b$  brownies and divides them into  $b$  pieces. She eats 3 brownies.

Expression:



3) Alyse makes  $t$  cupcakes and shares them equally with her 5 friends.

Expression:



4) Hani gives 3 candies to each of his  $f$  friends.

Expression:



5) Scott has 14 sodas in his fridge and buys  $s$  sodas.

Expression:



6) Dan buys 3 dozen donuts and eats  $d$  number of donuts.

Expression:



7) Steve buys  $x$  number of cookies and gives 31 to his staff.

Expression:



8) Alexa has 100 suckers that she shares equally with her  $f$  number of friends.

Expression:



9) Brian has 250 gummy worms and takes  $n$  number of gummies from his brother.

Expression:



10) Howard gives 4 books each to  $s$  number of students.

Expression:



Name: \_\_\_\_\_

94

## Finger Signals Quiz - Understanding Algebraic Expressions

### Objective

What are we learning about?

Students will reinforce their understanding of algebraic expressions through an interactive finger signals quiz.

### Materials

What will you need for the activity?

- A list of questions



### Instructions

How will you complete the activity?

1. Prepare a list of questions with answer choices labeled A, B, C, and D.
2. Explain the finger signals for each answer choice: one finger for A, two fingers for B, three fingers for C, and four fingers for D.
3. Inform the students they will show their answer by the number of fingers when you read each question.
4. Read the first question aloud clearly and repeat if necessary.
5. Give students a few moments to think about their answer and decide independently.
6. After a countdown (e.g., "3, 2, 1"), have all students show their answer simultaneously by raising the appropriate number of fingers.
7. Reveal the correct answer and explain why it is correct.
8. Repeat with different questions to reinforce understanding of algebraic expressions.

Name: \_\_\_\_\_

95

Question	A	B	C	D
A teacher has $s$ students and divides them evenly into 5 groups. How many students are in each group?	$5s$	$5 - s$	$s + 5$	$5 \div s$
A gardener plants $f$ flowers in each of 8 rows. What is the total number of flowers planted?	$8+f$	$8-f$	$8f$	$f + 8$
A farmer has $c$ cows and buys 14 more. How many cows does he have now?	$c-14$	$c+14$	$c+14$	$14c$
A painter uses $p$ litres of paint each day for 10 days. How much paint does he use in total?	$p+10$	$p-10$	$10p$	$p \div 10$
A painter uses $p$ litres of paint each day, for 10 days. He then spends 2 more litres. How much paint is used?	$10p-2$	$10+p-2$	$10p+2$	$p \div 10-2$
A cyclist rides $b$ kilometres and then 10 more kilometres. What is the total distance?	$b+10$	$b-10$	$10b$	$b \div 10$
A baker uses $b$ cups of flour in a recipe and then adds 7 more cups. How much flour is used?	$b+7$	$b-7$	$7b$	$b \div 7$
A writer types $w$ words each minute for 30 minutes. What is the total number of words typed?	$w+30$	$w-30$	$30w$	$w \div 30$
An artist splits $a$ litres of paint into 6 containers and then uses 2 more litres in each container. How much paint is used in each container?	$a \div 6 + 2$	$a \div 6 - 2$	$a \div 6 + 2$	$6a + 2$
A factory produces $p$ parts and then packages them into 4 boxes. How many parts are in each box?	$p \div 4$	$4p$	$p \div 4$	$p$
Lily has $m$ marbles. She buys 5 more and then gives away 2. How many marbles does she have now?	$m+5-2$	$m-5+2$	$m+2+5$	$m+2+5$
A baker bakes $b$ batches of cookies, each with 12 cookies. What is the total number of cookies?	$12+b$	$12-b$	$12b$	$b \div 12$
Sam has $p$ pencils. He buys 3 packs of pencils with 4 pencils each and then loses 2 pencils. How many pencils does he have now?	$p+3 \times 4 - 2$	$p+3-2 \times 4$	$p-3+2 \times 4$	$p+3 \times 4 - 2$
A gardener plants $g$ flowers in each of 7 rows. He then plants 3 more flowers in each row. How many flowers are there in total?	$7g+3g$	$g \times 7+3$	$g \times 7+3g$	$7g-3g$

**Evaluating Algebraic Expressions - Addition****Part 1** Evaluate the following expressions for  $x = 8$ 

1) $x + 12$	2) $8 + x$	3) $23 + x$	4) $x + 24$
5) $41 + x$	6) $63 + x$	7) $82 + 13 + x$	8) $92 + x + 11$

**Part 2** Evaluate the following expressions for  $y = 8$  and  $n = -2$ 

1) $y + (n)$	2) $5 + (n) + y$	3) $22 + (n) + y$	4) $y + 12 + (n)$
5) $43 + y + (n)$	6) $(n) + y + 20$	7) $12 + (n) + y$	8) $53 + (n) + y$

**Part 3** Evaluate the following expressions for  $x = -5$  and  $p = 5$ 

1) $(x) + (p) - 10$	2) $10 + (x) + (p)$	3) $15 + (x) + (p)$	4) $(x) + 11 + (p)$
5) $(p) + 20 + (x)$	6) $(x) + 18 + (p)$	7) $(x) + 5 + (p)$	8) $22 + (p) + (x)$

## Evaluating Algebraic Expressions - Subtraction

### Subtraction Integers Rule

To subtract integers, it is easiest to change the operation to addition and then follow the addition rules. We can do this by using the rule - Keep, Flip, Change. We keep the first number the same, flip the operation from subtraction to addition, and then change the third number's sign.

Example:  $5 - (-6) = ?$  becomes  $5 + 6 = 11$

Keep the  
first  
integer

Flip the  
operation

Change the  
sign of the next  
integer

### Part 1

Evaluate the following expressions for  $x = 5$

1) $x - 12$	2) $23 - x$	4) $x - 24$
5) $41 - x$	6) $63 - x$	9) $92 - x - 11$

### Part 2

Evaluate the following expressions for  $y = 10$  and  $n =$

1) $y - (n)$	2) $11 - (n) - y$	3) $15 - y - (n)$	4) $y - 6 - (n)$
5) $21 - y - (n)$	6) $(n) - y - 13$	7) $y - (n) - 3$	8) $32 - (n) - y$

## Evaluating Algebraic Expressions - Cafe

Whitney works at a café selling muffins, coffee, tea, and scones. She uses algebraic expressions to determine the cost of her customer's orders.



Menu	
Scone (s)	\$3.50
Muffin (m)	\$2.25
Tea (t)	\$2.00
Coffee (c)	\$2.50

Solve Write the algebraic expression and then evaluate using the menu prices.

Customer Order	Expression	Answer
1) 2 coffees, 1 muffin	$2c + m$ $2(2.50) + 2.25$	\$7.25
2) 3 teas, 1 scone		
3) 4 coffees, 2 teas		
4) 2 coffees, 2 teas, 2 muffins		
5) 3 teas, 4 muffins, 2 scones		
6) 10 coffees, 10 muffins		
7) 5 teas, 3 muffins, 2 scones		
8) 3 coffees, 3 scones		

## Evaluating Algebraic Expressions - Canteen

Brad works at a canteen selling chips, drinks, and gummies. He calculates the cost of orders ( $o$ ) and subtracts it from the payment ( $p$ ) he is given - to determine how much change to give his customers.

Menu	
Chips	\$1.50
Drinks	\$2.50
Gummies	\$1.00

Evaluate

Solve the subtraction expressions below.

Payment Values	Order Values	Expression - Customer's Change $p - o$
\$20.00	$p$	
\$17.50	\$20.00	
\$9.25	\$20.00	
\$35.65	\$20.00	

Evaluate

Calculate the order and determine the customer's change.



Order			Expression	Payment	Change ( $c$ )
$c$	$d$	$g$			
1	0	2	$c + (2 \times g)$ $1.50 + (2 \times 1.00)$ $1.50 + 1.00$ $\$2.50$	\$5.00	
3	1	0		\$10.00	
1	2	1		\$10.00	
2	2	2		\$20.00	
3	3	5		\$20.00	

## Addition – Are They Equal?

Are the equations equal? Put a slash through the equal sign for any equations that are not equal.

$8 + 4 = 12$

$23 + 15 \neq 36$

$47 + 13 = 50$

**Part 1**Put a slash through the equal sign ( $\neq$ ) if it is not balanced.

1) $5 + 7 = 12$	2) $51 + 15 = 67$	3) $47 + 13 = 50$
4) $65 + 1 = 71$	5) $74 + 13 = 87$	6) $92 + 11 = 103$
7) $95 + 25 = 110$	8) $17 + 28 = 45$	9) $144 + 17 = 171$
10) $155 + 26 = 181$	11) $144 = 144$	12) $212 + 12 = 224$

**Part 2**

Fill in the missing number to balance the equation.

1) <input style="width: 40px; height: 20px;" type="text"/> + 12 = 95	2) <input style="width: 40px; height: 20px;" type="text"/> + 25 = 50	3) <input style="width: 40px; height: 20px;" type="text"/> + 16 = 65
4) $72 + 14 =$ <input style="width: 40px; height: 20px;" type="text"/>	5) $64 +$ <input style="width: 40px; height: 20px;" type="text"/> = 80	6) <input style="width: 40px; height: 20px;" type="text"/> + 50 = 65
7) $68 +$ <input style="width: 40px; height: 20px;" type="text"/> = 82	8) $83 + 15 =$ <input style="width: 40px; height: 20px;" type="text"/>	9) $89 +$ <input style="width: 40px; height: 20px;" type="text"/> = 102
10) $105 +$ <input style="width: 40px; height: 20px;" type="text"/> = 116	11) $121 + 14 =$ <input style="width: 40px; height: 20px;" type="text"/>	12) $145 +$ <input style="width: 40px; height: 20px;" type="text"/> = 160

## Addition – Find the Variable

When we write an algebraic expression with an equal sign, it becomes an equation. An equation is a statement that two expressions are equal.

We can solve for a variable by balancing an equation, making sure both sides of the equal sign have the same value.



### Part 1

Find out the value of the variable.


1) $15 + n = 25$ $n =$	2) $n + 15 = 22$ $n =$	3) $32 + n = 41$ $n =$
4) $45 + p = 55$ $p =$	5) $41 + p = 62$ $p =$	6) $p + 63 = 81$ $p =$
7) $77 + y = 96$ $y =$	8) $y + 15 = 115$ $y =$	9) $132 + 15 = y$ $y =$
10) $157 + t = 192$ $t =$	11) $11 + t = 21$ $t =$	12) $236 + t = 248$ $t =$
13) $123 + a = 243$ $a =$	14) $165 + a = 300$ $a =$	15) $157 + a = 308$ $a =$
16) $238 + 449 = s$ $s =$	17) $311 + n = 445$ $s =$	

### Part 2

The formula for calculating the perimeter of a shape is to add the side lengths.

Use the following equation to find the perimeter of a triangle:  $p = a + b + c$

1) $a=6$ $b=12$ $c=10$	$p=$	4) $a=22$ $b=15$ $c=41$	$p=$
2) $a=7$ $b=15$ $c=19$	$p=$	5) $a=19$ $b=32$ $c=49$	$p=$
3) $a=9$ $b=17$ $c=23$	$p=$	6) $a=25$ $b=23$ $c=46$	$p=$



## Adding Decimals – Solve The Variable



**Practice**

Find the value of the variables below.

1) $4.5 + n = 6$  $n =$	2) $n + 5.5 = 7$  $n =$	3) $s + 5.3 = 8$  $s =$
4) $9.2 + p = 11$  $p =$	5) $9.2 + p = 11$  $p =$	6) $10.1 + r = 11.5$  $r =$
7) $15.3 + n = 20.5$  $n =$	8) $15.3 + n = 20.5$  $n =$	9) $t + 14.4 = 18$  $t =$
10) $24.6 + n = 28.2$  $n =$	11) $28.6 + 4 = t$  $t =$	12) $31.6 + 5 = p$  $p =$

**Word Problem**

Write the equations below and find the

- Jake has 1.25 pizzas left over from last night. His friend brings over some more pizza. They now have 4.25 pizzas. How much pizza did his friend bring?  

- Kelly is 1.5 meters tall. She hopes to grow to be 1.75 metres tall. How much will she have to grow?
- Carter has \$1.33 but needs \$1.88 to buy a bag of chips. How much more does he need?  


## Addition Equations – Golf Tournament

Zack hosted a 2-round golf tournament. He has the results and needs to find out who won the tournament. The leaderboard is below but is missing numbers.



### Instructions

Fill in the leaderboard.

Player	Round 1	Round 2	Final Score
Pharos	-2	-5	
Charlie			-5
Dominic		-2	-6
Kayden		-1	
Silas			-1
Lillian	3		
Brooklyn	-2		-5
Natalie			-1
Andrew	-4	6	
Santiago		5	

### Results

Who won the golf tournament?

- Who won the golf tournament?
- The entry fee for the tournament was \$100. All the money went to the prize ( $p$ ). Write an equation that determines the value for ( $p$ ).
- More golfers joined the tournament. The prize ended up being \$1400. Write an equation that determines how many golfers ( $g$ ) participated in the tournament.

## Addition Equations – Golf Tournament - Challenge

Zack hosted a 4-round golf tournament. He has the results and needs to find out who won the tournament. The leaderboard is below but is missing numbers.



### Instructions

Fill in the leaderboard.

Player	Round 1	Round 2	Round 3	Round 4	Final Score
Riley		-5	3	-6	
Charlie		1	3		-5
Dominic				7	-6
Kayden	-1	-1	-2	-4	
Silas	3	2			-1
Lillian	3	7			2
Brooklyn	-2	-1			-5
Natalie		5	1	-4	-1
Andrew	-4	6	2		
Santiago		5	1		2

### Results

Who won the golf tournament?

1) Who won the golf tournament?

2) The entry fee for the tournament was \$100. All the money went to the prize ( $p$ ). Write an equation that determines the value for ( $p$ ).

3) More golfers joined the tournament. The prize ended up being \$1400. Write an equation that determine how many golfers ( $g$ ) participated in the tournament.

## Addition Equations – Perimeter of a Rectangle

When we calculate the perimeter of a rectangle, we need to add all the sides together. The order of how we decide to add the sides together will not affect the answer due to the commutative property of addition.

Formula 1 -  $p = a + b + a + b$   
 $p = 12 + 4 + 12 + 4$   
 $p = 32$

$a = 12\text{cm}$



$b = 4\text{cm}$

Formula 2

$p = 2(a + b)$

$p = 2 \times (12 + 4) = 32$

Part 1 Write equations for the side lengths below.

#	Side length a	Side length b	Equation 1	Equation 2
1	5			
2	7			
3	11			
4	15	12		
5	17	15		
6	23	21		
7	28	31		
8	41	46		
9	55	24		
10	35	43		

Part 2 Using multiplication and addition, write two equations for the side lengths.

#	Side Length a	Side Length b	Equation 1	Equation 2
1	7	3	$2 \times (7 + 3) = 20$	$2 \times (3 + 7) = 20$
2	6	8		
3	9	4		
4	5	7		

**Subtraction – Are They Equal?**

Are the equations equal? Put a slash through the equal sign for any equations that are not equal.

$16 - 8 = 8$

$95 - 11 \neq 86$

$105 - 12 = 93$

**Part 1**

Put a slash through the equal sign ( $\neq$ ) if it is not balanced.

1) $36 - 12 = 24$	2) $56 - 11 = 45$	3) $59 - 16 = 42$
4) $72 - 26 = 46$	5) $66 - 27 = 49$	6) $79 - 16 = 64$
7) $126 - 20 = 109$	8) $146 - 14 = 132$	9) $174 - 13 = 161$
10) $181 - 15 = 166$	11) $126 - 20 = 106$	12) $195 - 30 = 165$

**Part 2**

Fill in the missing number to balance the equation.

1) $36 - 6 = \square$	2) $53 - 7 = \square$	3) $\square = 71$
4) $58 - \square = 45$	5) $48 - \square = 39$	6) $65 - \square = 55$
7) $105 - \square = 99$	8) $146 - 15 = \square$	9) $91 - \square = 75$
10) $158 - \square = 136$	11) $185 - 17 = \square$	12) $\square - 12 = 67$

## Subtraction – Find the Variable

A **variable** is a letter that represents an unknown number. When we don't know a number, we can use a letter to take the place of the unknown number.

Example:  $39 - n = 25$

We can figure out the unknown number by balancing the equation. In this equation,  $n = 14$ .

### Part 1 Find out the value of the variable.

1) $52 - n = 41$ $n =$	2) $n - 21 = 35$ $n =$	3) $52 - n = 41$ $n =$
4) $73 - 16 = p$ $p =$	5) $4 - p = 53$ $p =$	6) $p - 32 = 50$ $p =$
7) $87 - y = 61$ $y =$	8) $102 - 13 = y$ $y =$	9) $102 - 13 = y$ $y =$
10) $109 - t = 94$ $t =$	11) $124 - t = 143$ $t =$	12) $143 - t = 129$ $t =$
13) $158 - a = 127$ $a =$	14) $174 - a = 142$ $a =$	15) $174 - a = 142$ $a =$

### Part 2 Calculate the change a customer gets when they buy something.

When a customer buys something, the formula for calculating their change ( $c$ ) is money given ( $m$ ) subtracted from the price ( $p$ ) of the item. Therefore,  $c = m - p$

$m = 20$ $p = 12$	$c = 20 - 12$	$c = 8$	$m = 80$ $p = 61$	$c = \underline{\quad} - \underline{\quad}$	$c =$
$m = 40$ $p = 19$	$c = \underline{\quad} - \underline{\quad}$	$c =$	$m = 100$ $p = 68$	$c = \underline{\quad} - \underline{\quad}$	$c =$
$m = 60$ $p = 27$	$c = \underline{\quad} - \underline{\quad}$	$c =$	$m = 100$ $p = 44$	$c = \underline{\quad} - \underline{\quad}$	$c =$

# Integer Patterns – Average Temperatures

## Instructions

Answer the questions below.



The table below shows the average temperatures in four Canadian cities. We can use the table to compare the average temperatures in February and October.


City	October (o) Temperature	February (f) Temperature	Temperature Difference (d)
Calgary (AB)	6	-7	
Edmonton (AB)	10	-3	
Victoria (BC)	12	6	
Yellowknife (NT)		-21	
Winnipeg (MB)		-14	
Ottawa (ON)		-8	
Eureka (NU)	-21		
Quebec City (QC)	7		

- Fill in the table with the temperature difference from October to February.
- Write an equation using the variables:  $f$ ,  $o$ , and  $d$  that finds the difference between the temperatures in each city from October to February.
- Which city had the largest difference between their October and February months?
- What is the difference between Victoria's February temperature and Eureka's February temperature?
- What is the difference between Yellowknife's October temperature compared with Eureka's October temperature?



## Adding and Subtracting Equations – Flow Chart

We can use a reverse flow chart to calculate the value of a variable in an equation.



**Instruction:** Use the flow chart to find the value of the variable.

1) $t - 3 = 10$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">3</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">10</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↓</td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">+3</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">10</td> </tr> </table>	3	→	10	↓		↓	+3	→	10	7) $t - 7 = 13$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">t</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-7</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">13</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+7</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">13</td> </tr> </table>	t	→	-7	→	13	↑				↓		←	+7	←	13						
3	→	10																															
↓		↓																															
+3	→	10																															
t	→	-7	→	13																													
↑				↓																													
	←	+7	←	13																													
2) $r - 5 = 8$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">r</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-5</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">8</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+5</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">8</td> </tr> </table>	r	→	-5	→	8	↑				↓		←	+5	←	8	8) $r + 4 = 22$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">r</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+4</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">22</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-4</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">22</td> </tr> </table>	r	→	+4	→	22	↑				↓		←	-4	←	22
r	→	-5	→	8																													
↑				↓																													
	←	+5	←	8																													
r	→	+4	→	22																													
↑				↓																													
	←	-4	←	22																													
3) $c + 6 = 12$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">c</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+6</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">12</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-6</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">12</td> </tr> </table>	c	→	+6	→	12	↑				↓		←	-6	←	12	9) $c - 9 = 26$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">c</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-9</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">26</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+9</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">26</td> </tr> </table>	c	→	-9	→	26	↑				↓		←	+9	←	26
c	→	+6	→	12																													
↑				↓																													
	←	-6	←	12																													
c	→	-9	→	26																													
↑				↓																													
	←	+9	←	26																													
4) $b + 5 = 16$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">b</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+5</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">16</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-5</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">16</td> </tr> </table>	b	→	+5	→	16	↑				↓		←	-5	←	16	10) $b + 11 = 31$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">b</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+11</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">31</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-11</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">31</td> </tr> </table>	b	→	+11	→	31	↑				↓		←	-11	←	31
b	→	+5	→	16																													
↑				↓																													
	←	-5	←	16																													
b	→	+11	→	31																													
↑				↓																													
	←	-11	←	31																													
5) $p - 7 = 19$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">p</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-7</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">19</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+7</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">19</td> </tr> </table>	p	→	-7	→	19	↑				↓		←	+7	←	19	11) $p + 13 = 23$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">p</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+13</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">23</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-13</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">23</td> </tr> </table>	p	→	+13	→	23	↑				↓		←	-13	←	23
p	→	-7	→	19																													
↑				↓																													
	←	+7	←	19																													
p	→	+13	→	23																													
↑				↓																													
	←	-13	←	23																													
6) $x + 9 = 14$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">x</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+9</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">14</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-9</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">14</td> </tr> </table>	x	→	+9	→	14	↑				↓		←	-9	←	14	12) $x - 15 = 27$	<table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">x</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">-15</td> <td style="padding: 0 10px;">→</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">27</td> </tr> <tr> <td style="padding: 10px 0 0 10px;">↑</td> <td></td> <td></td> <td></td> <td style="padding: 10px 0 0 10px;">↓</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;"> </td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">+15</td> <td style="padding: 0 10px;">←</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">27</td> </tr> </table>	x	→	-15	→	27	↑				↓		←	+15	←	27
x	→	+9	→	14																													
↑				↓																													
	←	-9	←	14																													
x	→	-15	→	27																													
↑				↓																													
	←	+15	←	27																													

## Multiplication – Find the Variable

When we multiply a number by a variable, we do not need to use the multiplication sign. It is known that any variable next to a number means the operation we are using is multiplication.

Example:  $7n = 14$  means  $7 \times n = 14$

We can figure out the unknown number by balancing the equation -  $n = 2$ .

### Part 1

Find out the value of the variable.

1) $5n = 10$ $n =$	2) $4n = 16$ $n =$	3) $8(s) = 48$ $s =$
4) $9 \times 4 = p$ $p =$	5) $6n = 18$ $n =$	6) $7k = 21$ $k =$
7) $3n = 21$ $n =$	8) $2n = 10$ $n =$	9) $n \times 7 = 77$ $n =$
10) $5n = 45$ $n =$	11) $8 \times 7 = t$ $t =$	12) $9 \times 4 = p$ $p =$
13) $8n = 96$ $n =$	14) $10n = 100$ $n =$	15) $7d = 28$ $d =$
16) $9(s) = 27$ $s =$	17) $8 \times 8 = s$ $s =$	18) $6t = 30$ $t =$

### Part 2

Calculate the area using the variables for length and width.

The formula for calculating area is:  $A = L \times W$

Calculate the area in the questions below using the values for the variables L and W

L = 3 W = 9	A =
L = 8 W = 7	A =
L = 10 W = 11	A =

L = 5 W = 9	A =
L = 11 W = 7	A =
L = 4 W = 13	A =

## Writing Multiplication Equations – Bakery

Jasmine works at a bakery. She sells bread, muffins, cakes, and donuts. When a customer orders from Jasmine, she uses an equation to figure out their total ( $t$ ) – how much they owe for their order.

Bread ( $b$ )	Muffin ( $m$ )	Cake ( $c$ )	Donut ( $d$ )
\$5.00	\$3.00	\$14.00	\$2.00
			

**Instructions:** Complete the table below. The first one is done for you.

#					Equation	Answer
	$b$	$m$	$c$	$d$		
1	1	2	0	0	$t = 5 + 6$ $t = 11$	
2	1	0	0	1		
3	0	2	1	0		
4	1	1	0	2		
5	2	2	0	0		
6	3	1	1	0		
7	0	2	1	2		
8	2	0	1	3		
9	1	2	1	4		




**Multiplying Decimals – Solve the Variable****Practice**

Find the value of the variables below.

1) $2.5n = 12.5$  $n =$	2) $5.5n = 11$  $n =$	3) $2.2s = 8.8$  $s =$
4) $4.2p = 84$  $p =$	5) $6.3p = 18.9$  $p =$	6) $11.1r = 55.5$  $r =$
7) $7.6n = 76$  $n =$	8) $10.1s = 50.5$  $s =$	9) $6.7n = 20.1$  $n =$
10) $6.5n = 45.5$  $n =$	11) $11.1r = 55.5$  $r =$	12) $7.5s = 45$  $s =$

**Word Problem**

Write the equation using the variable and then solve the equation.

- 1) It rained 4.1mm every hour. In total, it rained 28.7mm. How long did it rain?  

- 2) Parker earns \$13.50 per hour working on a farm. He made \$81 today. How many hours ( $h$ ) did he work?  

- 3) River bought 3 cookies. The 3 cookies have a total of 9.9 grams of sugar. How much sugar ( $s$ ) is in each cookie?  


Name: \_\_\_\_\_

132

## Math Basketball: Multiplication Equations Challenge

### Objective

What are we learning about?

To reinforce students' understanding and application of multiplication of decimals through engaging word problems and a fun basketball shooting game.



### Materials

What will you need for the activity?

- Index cards with problems
- Recording sheet for each team
- Paper balls (one per team)
- Bins or baskets (one per team)
- Desks (one per team)

### Instructions

How will you complete the activity?

1. Arrange the classroom so that there is enough space for multiple teams to work simultaneously. Place a desk about 6 feet away from the wall.
2. Place a stack of index cards with problems on each desk.
3. Provide each team with a recording sheet and a paper ball.
4. Divide the students into teams of about five members each.
5. Each team stands in a line behind their respective desk.
6. The first student in line flips over an index card and solves the problem.
7. Once the answer is recorded, the student attempts to shoot the paper ball into the bin.
8. If the student makes the shot, they place a tally mark on the team's tally sheet for a point. If they miss, no tally is given.
9. The student then goes to the end of the line, and the next student steps up to the desk to repeat the process.
10. The activity continues until all index cards have been solved.
11. Once all index cards are completed, the teacher collects the recording sheets and reviews the answers with the class.
12. For each incorrect answer, the team loses one point.
13. The team with the highest number of points after deductions is declared the winner.

Name: \_\_\_\_\_

134

## Index Cards

Use the following table for the game.

A machine produces 9.3 parts per minute and produced a total of 74.4 parts. How many minutes ( $m$ ) did the machine run?

A delivery truck travels at a speed of 10.2 kilometers per hour and travelled a total distance of 71.4 kilometers. How many hours ( $h$ ) did it travel?

A worker earns \$7.8 per hour and earned a total of \$62.4. How many hours ( $h$ ) did the worker work?

A student reads 4 pages per minute and read a total of 37.6 pages. How many minutes ( $m$ ) did the student read?

A train travels at a speed of 12.6 miles per hour and traveled a total distance of 92 miles. How many hours ( $h$ ) did the train travel?

A farmer plants 5.6 seeds per row and planted a total of 44.8 seeds. How many rows ( $r$ ) did the farmer plant?

A construction worker lays 3.9 bricks per minute and laid a total of 31.2 bricks. How many minutes ( $m$ ) did the worker lay bricks?

A hairdresser cuts 2.4 heads of hair per hour and cut a total of 11.5 heads of hair. How many hours ( $h$ ) did the hairdresser work?

A dog drinks 1.7 litres of water per day. It drank a total of 13.6 litres of water. How many days ( $d$ ) did it take for the dog to drink that much water?

A bus travels at a speed of 12.6 miles per hour and travels a total distance of 88.2 miles. How many hours ( $h$ ) did the bus travel?

A cook prepares 4.2 dishes per hour and has prepared a total of 33.6 dishes. How many hours ( $h$ ) did the cook work?


A scientist measures 3.8 grams of a substance per sample and measured a total of 30.4 grams. How many samples ( $s$ ) were measured?

## Multiplying Equations – Flow Chart

Steps to fill in a flow chart:

- 1) Write the variable in the first box.
- 2) Write the second value in the second box.
- 3) Write the answer in the third box.
- 4) We are working in reverse now. Write the answer in the first box.
- 5) We do the opposite to the next box as we did with the second box.
- 6) Fill in the first box to find the value of the variable, which it points to.

Example:  $7t = 28$



Instructions: Fill in the blank in the flow chart.

1) $4t = 12$		7) $11t = 77$	
2) $8r = 48$		6) $3t = 48$	
3) $5c = 35$		8) $7c = 56$	
4) $6b = 42$		9) $12b = 144$	
5) $9p = 72$		10) $9n = 63$	

## Division – Are They Equal?

Are the equations equal? Put a slash through the equal sign for any equations that are not equal.

$8 \div 2 \neq 5$

$9 \div 3 = 3$

$15 \div 3 \neq 3$

**Part 1** Put a slash through the equal sign ( $\neq$ ) if it is not balanced.

1) $20 \div 4 =$	2) $45 \div 5 = 9$	3) $36 \div 4 = 8$
4) $48 \div 4 =$	5) $27 \div 3 = 9$	6) $35 \div 7 = 5$
7) $55 \div 5 = 11$	8) $42 \div 6 = 7$	9) $42 \div 7 = 6$
10) $110 \div 11 = 10$	11) $18 \div 3 = 6$	12) $24 \div 6 = 4$

**Part 2** Fill in the missing number to balance the equation.


1) $42 \div 6 = \square$	2) $49 \div 7 = \square$	3) $24 \div 4 = \square$
4) $28 \div \square = 4$	5) $18 \div \square = 3$	6) $32 \div \square = 4$
7) $\square \div 5 = 8$	8) $\square \div 8 = 7$	9) $\square \div 4 = 4$
10) $63 \div 7 = \square$	11) $48 \div \square = 4$	12) $\square \div 8 = 9$

## Math Tic-Tac-Toe: Solving Variables

### Objective

What are we learning about?

To help students practice solving division equations involving variables in a fun and interactive way through a Tic-Tac-Toe game.



### Materials

What will you need for the activity?

- Tic-Tac-Toe boards provided

### Instructions

How will you complete the activity?

1. Find a partner to play the game.
2. The goal is to solve and balance the algebraic equation in each square to place your marker (X or O).
3. One player will be "X" and the other will be "O".
4. Take turns choosing a square and solving the equation in that square to find the value of the variable.
5. Write down the solution below the equation and place your marker (X or O) in the square.
6. If a player chooses a square and solves the equation incorrectly, they do not get to place their marker in that square. The other player gets a chance to solve it correctly and place their marker.
7. The first player to get three markers in a row (horizontally, vertically, and diagonally) wins the game. Continue playing with different tic-tac-toe grids on the sheet.

## Tic-Tac-Toe

Use the following tic-tac-toe grids for the game.

$96 \div t = 12$	$64 \div 8 = x$	$y \div 5 = 6$
$45 \div 9 = z$	$84 \div 12 = t$	$k \div 11 = 4$
$p \div 6 =$	$\div x = 9$	$30 \div y = 5$

$120 \div p = 15$	$56 \div 8 = x$	$y \div 4 = 8$
$32 \div 8 = z$	$99 \div 11 = t$	$k \div 12 = 3$
$144 \div t = 12$	$80 \div x = 10$	$p \div 5 = 8$

$81 \div k = 9$	$108 \div x =$	$\div 4 =$
$50 \div 5 = z$	$33 \div 11 = t$	$k \div 8 =$
$72 \div t = 8$	$90 \div x = 9$	$p \div 10 = 4$

$144 \div p = 12$	$63 \div 7 = x$	$y \div 9 = 7$
$36 \div$	$110 \div 10 = t$	$k \div 5 = 9$
$150 \div$	$56 \div x =$	$p \div 8 = 9$

$36 \div a \div 7 = 13$	$90 \div b \div 5 = 4$	$c \div 3 \div 8 = 14$
$40 \div d \div 6 = 14$	$84 \div e \div 2 = 5$	$f \div 12 \div 1 = 9$
$49 \div g \div 4 = 3$	$75 \div h \div 3 = 10$	$i \div 5 \div 2 = 4$

$60 \div j \div 4 = 10$	$108 \div k \div 3 =$	$l \div 6 \div 5 = 13$
$45 \div m \div 7 = 14$	$64 \div n \div 4 = 4$	$o \div 8 \div 2 = 10$
$81 \div p \div 5 = 4$	$100 \div q \div 2 = 12$	$r \div 4 \div 3 = 5$

## Writing Division Equations - Sharing

Riley is the best boss! Every week, she brings in treats for her staff to share. Each week, there are different treats and a different number of staff members working at the office.



### Questions


Use a formula to find out how many treats ( $t$ ) each person gets.

#		# of Staff	Formula	Answer
1	16 donuts ( $d$ )	8	$\frac{d}{s} = t$	$\frac{16}{8} = 2$
2	12 cookies ( $c$ )	6	$\frac{c}{s} = t$	$\frac{12}{6} = 2$
3	24 muffins ( $m$ )	4		
4	60 slices of pizza ( $p$ )	20		
5	42 bagels ( $b$ )	7		
6	36 donuts ( $d$ )	12		
7	40 cookies ( $c$ )	10		
8	56 muffins ( $m$ )	8		
9	27 pastries ( $p$ )	9		
10	54 cookies ( $c$ )	6		
11	55 slices of pizza ( $p$ )	11		
12	60 bagels ( $b$ )	15		
13	48 muffins ( $m$ )	12		

# Division Equations – Flow Chart

## Instructions

Fill in the blank in the flow chart.



1) $\frac{t}{4} = 4$	<pre> graph TD     A[t] --&gt; B[÷4]     B --&gt; C[4]     C --&gt; D[4]     D --&gt; E[x4]     E --&gt; F[16]     F --&gt; A           </pre>	7) $\frac{t}{11} = 7$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>
2) $\frac{r}{6} = 8$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>	8) $\frac{r}{8} = 9$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>
3) $\frac{c}{3} = 9$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>	9) $\frac{c}{7} = 7$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>
4) $\frac{b}{8} = 7$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>	10) $\frac{b}{12} = 4$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>
5) $\frac{p}{4} = 9$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>	11) $\frac{p}{6} = 8$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>
6) $\frac{n}{7} = 3$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>	12) $\frac{n}{9} = 5$	<pre> graph TD     A[ ] --&gt; B[ ]     B --&gt; C[ ]     C --&gt; D[ ]     D --&gt; E[ ]     E --&gt; F[ ]     F --&gt; G[ ]           </pre>

## Equivalent Forms of an Equation

When we add or subtract the same amount from both sides of an equal sign, the equation does not change. This is called **preservation of equality**.

### Instructions

Draw circles to represent the equations.

#	Original Equation	Change	New Equation
1	$2n + 5 = 9$ 	Add 3	$2n + 5 + 3 = 9 + 3$ 
2	$7 + n = 10$		
3	$13 - n = 6$	Add 3	
4	$2n + 6 = 14$	Subtract 5	
5	$5 + 3n = 17$	Add 7	

# Equivalent Forms of an Equation

## Instructions

Write four equivalent forms of the equations below.

#	Original Equation
1	$5n = 20$
	Add _____ to each side
	Subtract _____ from each side
	Multiply each side by _____
	Divide each side by _____

#	Original Equation
2	$2 = 4$
	Add 6 to each side
	Subtract 11 from each side
	Multiply each side by 2
	Divide each side by 7

#	Original Equation
3	$7n - 8 = 34$
	Add 25 to each side
	Subtract 20 from each side
	Multiply each side by 4
	Divide each side by 2

## Equivalent Forms of an Equation

When we change an equation by adding, subtracting, multiplying, and dividing the same amount from both sides, does the equation change? Investigate below!

### Instructions

Fill in the table below.

#	Original Equation	Change	New Equation
1	$5n + 8 = 20$	Add 8 to each side	$5n + 8 = 20 + 8$ $n = 4$
2	$18 - n = 14$	Add 6 to each side	
3	$15 + n = 30$ $n =$	Subtract 15 from each side	
4	$6n = 18$ $n =$	Multiply each side by 2	
5	$4n = 24$ $n =$	Divide each side by 4	
6	$52 - n = 38$ $n =$	Subtract 15 from each side	
7	$68 + n = 93$ $n =$	Add 14 to each side	
8	$5n = 50$ $n =$	Multiply each side by 5	
9	$2n = 24$ $n =$	Divide each side by 2	

## Representing Equivalent Equations – Balance Scale

Blocks are placed on a balance scale. Some of the blocks on the left side of the scale are put in a bag before being placed on the scale. Use  $b$  to represent 'bag' in your equation.

### Instructions

Write 2 different equations for each pictorial representation.

#	Pictorial Representation	Equation # 1	Equation # 2
Ex)		$b + 8 = 14$	$2b + 2 = 14$ 
1)			
2)			
3)			
4)			
5)			

Name: \_\_\_\_\_

155

## Matching Game: Do The Variables Match?

### Objective

What are we learning about?

To enhance students' understanding of equivalent variables. Students will identify and match pairs of equations where the variable yields the same value, fostering critical thinking and problem-solving skills in a collaborative group setting.

### Materials

What do you need for the activity?

- Pre-prepared pre-cut matching cards
- Small bags or envelopes to hold the cards for each group



### Instructions

How will you complete the activity?

1. Before the class, the teacher will cut out the prepared matching game cards.
2. Divide the students into small groups and give each group a small envelope containing a set of the matching cards.
3. In their groups, students will spread out the cards face down on their table.
4. Each person takes a turn to try to match two cards. They will need to solve both equations to see if they match (equal the same).
5. If they find a correct match, they keep the cards out and continue with their next turn. If the cards don't match, they turn them back over in the same place, and the next player takes a turn.
6. The activity continues until all pairs are correctly matched within each group.

Name: \_\_\_\_\_

156

Cards

Matching Game Cards

$$x + 3 = 7$$

$$2x - 1 = 7$$

$$4y + 1 = 15$$

$$2y + 1 = 11$$

$$2z + 1 = 11$$

$$3z + 2 = 13$$

$$3w - 2 = 16$$

$$5w - 7 = 23$$

$$x + 6 = 20$$

$$2x - 4 = 24$$

**PREVIEW**

Name: \_\_\_\_\_

159

Cards

Matching Game Cards

$$4w + 1 = 37$$

$$3w + 10 = 37$$

$$5x - 4 = 166$$

$$2y - 1 = 29$$

$$4y - 31 = 29$$

$$3z + 4 = 31$$

$$5z + 2 = 47$$

$$4w - 8 = 36$$

$$2w + 14 = 36$$


**PREVIEW**

## Introduction to Inequalities

Inequalities are used to tell the relative size of two expressions or numbers. We can use the greater than sign ( $>$ ), or the smaller than sign ( $<$ ). We can also use a new sign ( $\geq$ ) to show that a value is equal to or greater/less than the other value.

We often use a number line to graph the range of values that hold true for an inequality. An open dot on a number line is used when an inequality involves "less than" or "greater than", and a closed dot is used when it also includes "equal to".

Examples



Questions Draw the inequality on the number line and write the word form.

1)  $x \geq 9$




Word Form -  $x$  is greater than or equal to 9

2)  $x \leq 13$




Word Form - \_\_\_\_\_

3)  $x < 5$




Word Form - \_\_\_\_\_

4)  $x > 15$



Word Form - \_\_\_\_\_

5)  $x \geq 14$




Word Form - \_\_\_\_\_

6)  $x \leq 12$



Word Form - \_\_\_\_\_


# Solving Inequalities - Addition




## Questions

Graph the addition inequalities using the number line.


1)  $4 + x > 11$



2)  $5 + x \leq$



3)  $x$




4)  $x + 3 \leq 15$




5)  $7 + x \geq 15$




6)  $6 + x > 19$




7)  $x + 3 > 8$



8)  $13 + x \geq 19$



9)  $14 + x > 20$



10)  $x + 13 \leq 16$



**Inequalities – Multiple Choice****Questions**

Circle the values that satisfy each inequality.

1)

$x > 32$

47    19    25    33

2)

$x < 46$

45    50    61    47

3)

$x < 72$

72    70    71    73

4)

$x > 61$

60    56    63    61

5)

$x < 78$

76    79    75    78

$x \leq 92$

90    92    99    91

7)

$x > 64$

62    65    64    68

8)

$x < 88$

88    90    85    87

9)

$x \leq 85$

91    85    86    84

10)

$x > 98$

97    95    96    99

11)

$x < 82$

85    87    80    82

12)

$x < 99$

98    100    99    97

## Inequalities in a Set - Addition

**Questions**

Which numbers in the set satisfy the inequality?

1) Solve the inequality  $x \leq 8$  in the set (6, 10, 7, 8, 13, 15, 0)

Numbers that fit: 0, 6, 7, 8

2) Solve the inequality  $x + 9 \leq 19$  in the set (9, 12, 7, 16, 13, 6, 5)

Numbers that fit: \_\_\_\_\_

3) Solve the inequality  $x + 9 < 14$  in the set (1, 5, 6, 4, 8, 9, 3)

Numbers that fit: \_\_\_\_\_

4) Solve the inequality  $x + 17 \leq 24$  in the set (9, 8, 6, 4, 2, 7, 9, 1)

Numbers that fit: \_\_\_\_\_

5) Solve the inequality  $x + 25 \leq 33$  in the set (7, 16, 1, 8, 13)

Numbers that fit: \_\_\_\_\_

6) Solve the inequality  $x + 31 > 36$  in the set (3, 5, 7, 6, 9, 1, 4)

Numbers that fit: \_\_\_\_\_


7) Solve the inequality  $48 + x > 63$  in the set (15, 14, 17, 19, 22, 12, 28)

Numbers that fit: \_\_\_\_\_

8) Solve the inequality  $68 + x < 91$  in the set (18, 22, 19, 23, 25, 27, 15)


Numbers that fit: \_\_\_\_\_

# Solving Inequalities - Subtraction


**Questions**

Graph the subtraction inequalities using the number line.

1)  $15 - x > 8$



2)  $19 - x > 12$



3)  $x < 3$



4)  $x - 11 \leq 6$




5)  $15 - x \geq 4$




6)  $14 - x > 2$




7)  $x - 3 > 10$




8)  $13 - x \geq 5$



9)  $17 - x > 8$



10)  $x - 5 \leq 9$



# Inequalities – Adding and Subtracting

**Questions**

Solve the inequalities below.

1)

$$x > 6 + 12 - 5$$

$$x = 13$$

2)

$$x < 9 \times 3 - 8$$

3)

$$y \leq 15 - 7$$

4)

$$t \geq 5 - 4 + 20$$

5)

$$x < 8 + 10 - (4 \times 2)$$

$$p \leq 27 - 7 + 15$$

7)

$$x > 6 \times 5 \div 2$$

8)

$$7 - 2 \times 3$$

9)

$$x \leq 16 \div 4 \times 10$$

10)

$$x > 65 - 6 + 13$$

11)

$$x < 9 \times (4 + 6)$$

12)

$$x < (24 \div 8) \times 6$$

## Exit Cards

Cut Out

Cut out the exit cards below and have students complete them at the end of class.

Name: \_\_\_\_\_

Solve the inequalities below

$$x \leq 15 \div 5 \times 9$$

$$b) x > 80 - 5 \times 10$$

Name: \_\_\_\_\_

Solve the inequalities below

$$a) x \leq 15 \div 5 \times 9$$

$$b) x > 80 - 5 \times 10$$

Name: \_\_\_\_\_

Solve the inequalities below

$$a) x \leq 15 \div 5 \times 9$$

$$b) x > 80 - 5 \times 10$$

Name: \_\_\_\_\_

Solve the inequalities below

$$a) x \leq 15 \div 5 \times 9$$

$$b) x > 80 - 5 \times 10$$


## Graphing Inequalities – Multiple Operations

### Questions

Graph the inequalities on the number line.

1)

$$x > 3 + 9 - 4$$



2)

$$x < 12 - 10 + 5$$




3)

$$x < 15 \div 3 + 1$$




4)

$$x > 18 - 12 + 11$$




5)

$$x \geq 15 \times 3 - 20$$




$$x \leq 48 \div 6 + 15$$



7)

$$x > 8 \times 7 - 3$$




8)

$$x < 10 \div 2 + 7$$




9)

$$x \leq 40 \div 4 \times 8$$




10)

$$x > 70 + 13 - 8$$




11)

$$4 \times 11 \times 2 + 10 < x$$



12)

$$66 \div 6 \times 9 - 3 > x$$



## Inequalities – Isolating the Variable

### Steps to isolating a variable

1. Add or subtract the same amount from both sides so that the variable is by itself.
2. If the number that is with the variable is positive, you will subtract the same number from both sides.
3. If it is negative, you will add the number to both sides.
4. Since we want the variable on the left, we might need to flip it to the other side at the end. When we do this, we switch the inequality sign from  $<$  to  $>$  or from  $>$  to  $<$ .

Example:

$$\begin{aligned}y - 14 &\leq 9 \\y + 14 &\leq 9 + 14 \\y &\leq 23\end{aligned}$$

$$\begin{aligned}15 &> x + 9 \\15 - 9 &> x + 9 - 9 \\6 &> x \\x &< 6\end{aligned}$$

### Questions

1)

$$x - 8 < 13$$

$$x + 13 < 22$$

3)

$$x + 15 \leq 27$$

4)

$$-2$$

5)

$$7 < x + 23$$

6)

$$21 \leq x - 11$$

7)

$$x + 32 > 47$$

8)

$$55 < x + 32$$

# Inequalities – Isolating the Variable

**Questions**

Graph the inequalities on the number line.

1)

$$4 + x > 10$$



2)

$$x - 5 < 2$$




3)




4)

$$8 + x > 29 - 7$$



5)

$$4 + x \geq 11 \times 3 - 5$$




6)

$$x < 48 \div 4 - 4$$




7)

$$x - 8 > 11 \times 5 - 6$$




8)

$$x - 15 \leq 15 \div 15$$




9)

$$8 + x \leq 9 \times 8 + 13$$



10)

$$16 + x > 68 + 20 - 3$$



## Linear Inequalities – Boundary Line

When we graph an inequality on a cartesian plane, we use a dashed line or a solid line depending if the inequality is greater/less than or greater/less than or equal to.

Greater/less than or equal  $\leq \geq$   
 \_\_\_\_\_

Greater/less than  $< >$   
 - - - - -

**Part 1**      Are the inequalities require a dashed or solid boundary line?

Inequality	Dashed or Solid Boundary Line?
1) _____	
2) _____ $\leq 9$	
3) _____ $4 < \dots$	
4) _____ $y - 4 \geq 11$	
5) _____ $y \leq 5 + 6$	

If the inequality uses a greater than or equal to sign, we shade \_\_\_\_\_ the line. When we have a less than or equal sign, we shade \_\_\_\_\_ the line.

**Part 2**      Fill in the table below.

	Inequality	Dashed or Solid Boundary Line?	Shade _____ or Below
1)	$x < 6$		
2)	$y \geq 9$		
3)	$8 - 5 < x$		
4)	$7 + x > 29$		
5)	$13 - y \leq 22 + 5$		
6)	$x + 8 - 3 > 29$		
7)	$6 + 4 - y \geq 29 + 3$		
8)	$y - 8 > 11 \times 5 - 6$		

## Linear Inequalities – Boundary Line

### Questions

Fill in the table below.


	Inequality	Simplify (if necessary)	Dashed or Solid Line	Shade Above or Below
1)	$x > 11$			
2)	$y = 7$			
3)	$13 \leq x$			
4)	$7 + x \geq 12$			
5)	$9 - y > 21 + 9$			
6)	$8x < 32$			
7)	$4 + y \geq \frac{18}{2}$			
8)	$y - 7 > \frac{56}{7} \times 9$			
9)	$y \geq 20 + \frac{44}{11}$			
10)	$x + 5 - 3 < 7 \times 4$			

PREVIEW


**Graphing Inequalities – Cartesian Plane – One Variable****Questions**

Graph the inequalities on the cartesian plane.


1)  $x > 4$




2)  $x < -2$




3)  $y \leq 4$




4)  $3 + x > 6$




5)  $x - 2 < 3$




6)  $y + 5 \leq 7$




7)  $9 + x \geq 11$



8)  $y - 6 < -2$



9)  $y + (-2) \leq -1$




# Graphing Inequalities – Two Variables


**Questions**

Graph the inequalities on the cartesian plane.


1)  $y > x + 1$




2)  $y < x + 3$




3)  $y \leq x - 4$




4)  $y \geq 2 - x$




5)  $y > x - 2$




6)  $y \leq x + 2 + 1$




7)  $y \geq x + 1 - 5$



8)  $y \leq -3 + 1 + x$



9)  $y < x - 6 + 3$




# Linear Inequalities – Order Pairs


**Questions**

Circle whether the ordered pair is a solution of the graph


1) (2, 1) Yes No




2) (4, -2) Yes No




3) (3, -1) Yes No




4) (-3, 4) Yes No




5) (-2, 1) Yes No




6) (1, -5) Yes No




7) (-5, 5) Yes No



8) (3, -4) Yes No



9) (0, -5) Yes No



## Algebra Quiz - Equations

### Part 1

Add the monomials together.

1) $5n + 6n$ $=$ _____ $n$	2) $12b + 14b$ $=$ _____ $b$	3) $n + 52n + n$ $=$ _____ $n$
4) _____ $p$ $=$ _____ $p$	5) $16p - 4p - 7p$ $=$ _____ $p$	6) $33n - 11n - 11n$ $=$ _____ $n$

### Part 2

Evaluate the following expressions for  $x = 5$

1) $x - 10$	2) $9 - x$	4) $x - 14$
5) $44 + x$	6) $67 + x$	7) $80 - x + 11$

### Part 3

Evaluate the following expressions for  $y = 8$

1) $5y$	2) $9y - 5$	3) $3y + 5$	4) $8y + 6$
5) $\frac{32}{y} + 8$	6) $\frac{64}{y} + y$	7) $\frac{24}{y} - 9$	8) $\frac{y}{y} \times y$

## Part 4

Write the expressions using the values/operations below.

6 8 2  $n$  +  $x$  -  $\div$ 

1) Six times a number, add two	
2) Eight divided by two, subtract a number	
3) A number multiplied by eight, add six	
4) Eight more than six divided by of a number	

## Part 5 Write equations for each sentence.

	Equation	Answer
1) Seven less than a number is 5		
2) Twelve more than a number is 31		
3) Six times a number is 48		
4) Eighteen divided by a number is 3		

## Part 6


Fill in the missing number to balance the equation.

1) $\square + 12 = 95$	2) $\square + 25 = 50$	3) $\square = 66$
4) $58 - \square = 45$	5) $48 - \square = 39$	6) $65 - \square = 55$
7) $4 \times \square = 44$	8) $\square \times 6 = 30$	9) $8 \times \square = 48$
10) $63 \div 7 = \square$	11) $48 \div \square = 4$	12) $\square \div 8 = 9$


## Part 9

Graph the inequalities on the number line.


1)  $4 + x > 11$



2)  $19 - x \leq 12$



3)  $x \leq 15$  and  $x > 11$



## Part 10

Solve the inequalities below. Make sure the variable is on the left.

1)  $x + 13 > 22$

2)  $x + 13 < 22$


3)  $x + 15 \leq 27$

4)  $27 > 14$


## Part 11

Graph the inequalities on the cartesian plane.


1)  $x > 4$



2)  $y < -2$



3)  $y + x < 3$




**Grade 7**  
**C3. Coding**

	<b>Curriculum Expectations</b>	<b>Pages That Cover the Expectations</b>
<b>C3.1</b>	solve problems and create computational representations of mathematical situations by writing and executing efficient code, including code that involves events influenced by a defined count and/or sub-program and other control structures	184 - 189, 191 - 198, 200 - 203
<b>C3.2</b>	read and alter existing code, including code that involves events influenced by a defined count and/or sub-program and other control structures, and describe how changes to the code affect the outcomes and the efficiency of the code	187, 190, 199

## Writing Code - Loops

### Writing Code - Code Bank

go right (# of spaces)  
go left (# of spaces)  
go down (# of spaces)  
go up (# of spaces)  
loop \_\_\_ times




### Example

loop 5 times  
go right 3  
go down 5  
go left 5  
go up 5  
go right 2  
go right 1

Question Write code that sends the runner around the track.


1. Use a loop to send the runner around the track 8 times. (Don't forget to cross the finish line!)

Line 1: \_\_\_\_\_  
Line 2: \_\_\_\_\_  
Line 3: \_\_\_\_\_  
Line 4: \_\_\_\_\_  
Line 5: \_\_\_\_\_  
Line 6: \_\_\_\_\_  
Line 7: \_\_\_\_\_



2. Use a loop to send the runner around the track 4 times. (Don't forget to cross the finish line!)

Line 1: \_\_\_\_\_  
Line 2: \_\_\_\_\_  
Line 3: \_\_\_\_\_  
Line 4: \_\_\_\_\_  
Line 5: \_\_\_\_\_  
Line 6: \_\_\_\_\_  
Line 7: \_\_\_\_\_



3. Use a loop to send the runner 3600 metres.

Line 1: \_\_\_\_\_

Line 2: \_\_\_\_\_


Line 3: \_\_\_\_\_

Line 4: \_\_\_\_\_

Line 5: \_\_\_\_\_

Line 6: \_\_\_\_\_

Line 7: \_\_\_\_\_



1 lap = 450 metres

4. Use a loop to send the runner 1800 metres.

Line 1: \_\_\_\_\_

Line 2: \_\_\_\_\_


Line 3: \_\_\_\_\_

Line 4: \_\_\_\_\_


Line 5: \_\_\_\_\_

Line 6: \_\_\_\_\_

Line 7: \_\_\_\_\_



1 lap =



1 lap = 150 metres

5. Read the code and figure out how far the runner went.

**Code**

go right 1 space

loop 15 times

go right 2 spaces

go down 5 spaces

go left 5 spaces

go up 5 spaces

go right 3 spaces

run program

**My Answer**

## Introduction to If/Then Statements

An if/then statement is a *conditional* that is an action that could occur if something specific happens.

For example – If the bell goes at school, then the students go to class.



### Questions

Fill in the If/Then Statements with outcomes that make sense.

1)	If the bell rings	then _____
2)	If the referee blows the whistle	_____
3)	If it is hot	then _____
4)	If the alarm clock goes off in the morning	then _____
5)	If I cross the finish line first	then _____
6)	If the traffic light is red	then _____
7)	If the phone battery is 0	then _____
8)	If the time limit is reached	then _____
9)	If the SHIFT key is pressed when typing a letter	then _____
10)	If the soccer ball goes out of bounds	then _____

## If Statements – Conditional Coding

An if statement allows a code to be run if an event has happened. If the event does not happen, the code is not run. All interactive games use if statements. For example, when a game has a button in it, the button will have an if code. This means that if the button is pushed, then a code will run that causes something to happen.

Example Code - If player gets 50 points, then print "Great Job!"



Question: Calculate the answer to the question and then run the code.

Written	The Computer Prints...
If answer is $> 90$ , then print "Great job!" If answer is $< 90$ , then print "Please try!" run $7 \times 11 + 12$	
If $y$ is $< 150$ , then print "Better luck next time!" If $y$ is $> 150$ , then print "Wow, great job!" run $y = 5 \times 20 + 55$	
If player has $> 500$ points ( $p$ ), then print "You win" If player has $< 500$ points ( $p$ ), then print "You lose" run $p = 100 + 4 \times 10 \times 2 - 10$	
If student mark ( $m$ ) is $> 80\%$ , then print "Genius!" If student mark ( $m$ ) is $< 80\%$ , then print "Good effort!" run $m = 15/20$	
If student mark ( $m$ ) is $> 50\%$ , then print "You passed" If student mark ( $m$ ) is $< 50\%$ , then print "You failed" run $m = 16/30$	

## If Statements – Dice Game

The object of the game is to get as many points as you can. Follow the if/then statements to get points.

### Instructions:

1. Start at question 1. Read the if/then statement to get points.
2. Go through all 10 questions and add up your points at the end.



Questions Use a dice to play the game below. Follow the if/then codes.

If/Then Code	Point Total
1) If you roll an odd number, then you get +10 points If you roll an even number, then you get -10 points	
2) If you roll a 6, then you get +5 points If you don't roll a 6, then you get 0 points	
3) If you roll a 3 or 4, then you get +10 points If you don't roll a 3 or 4, then you get -10 points	
4) If you roll a 2, then you start over at 0 points If you roll any other number, then you get +5 points	
5) If you roll 3 or less, then you get +10 points If you roll 4 or more, then you get -10 points	
6) If you roll a 1 or 6, then you get +15 points If you don't roll a 1 or 6, then you get -5 points	
7) If you roll 2 or more, then you get +5 points If you roll a 1, then you get -20 points	
8) If you roll an odd number, then you get +10 points If you roll an even number, then you get -10 points	
9) If you roll a 3, then you get +20 points If you don't roll a 3, then you get 0 points	
10) If you roll a 5 or less, then you get +10 points If you roll a 6, then you get -25 points	

## If Statements – Dice Game

The object of the game is to get as many points as you can. Follow the if/then statements and solve any equation from the list you are sent to. Cross out the equation once you have used it because you can only use each equation once. You earn the answer from the equation as points. Record your points in the column on the right.

### Instructions

Follow the if/then codes to solve equations and earn points.



If/Then Code	Points
1) If you roll a 1 or 2, then solve an equation from list 1 If you roll a 3 or 4, then solve an equation from list 2	
2) If you roll a 3 or 4, then solve an equation from list 3 If you roll a 5 or 6, then solve an equation from list 4	
3) If you roll a 6, then solve an equation from list 3 If you roll a number 1-5, then solve an equation from list 2	
4) If you roll an even number, then solve an equation from list 5 If you roll an odd number, then solve an equation from list 6	
5) If you roll a 1 or a 6, then solve an equation from list 5 If you roll a 2, 3, 4, or 5, then solve an equation from list 1	
6) If you roll a 2 or 5, then solve an equation from list 5 If you roll a 1, 3, 4, or 6, then solve an equation from list 1	
7) If you roll a 3 or 4, then solve an equation from list 5 If you roll a 1, 2, 5, or 6, then solve an equation from list 1	
8) If you roll a 6, then solve an equation from any list If you roll a 1, 2, 3, 4, or 5, then solve an equation from list 1	
9) If you roll a 1 then solve an equation from any list If you roll a 2, 3, 4, 5, or 6, then solve an equation from list 1	
Total Points	

List 1	List 2	List 3	List 4	List 5	List 6
5 + 5	15 - 5	3 x 2	25 ÷ 5	12 + 12	3 x 3
12 + 6	14 - 6	7 x 5	30 ÷ 10	23 + 5	4 x 6
13 + 8	40 - 32	3 x 6	20 ÷ 4	15 + 13	7 x 3
21 + 13	32 - 21	4 x 5	12 ÷ 2	41 - 13	40 ÷ 4
14 + 22	45 - 15	9 x 4	15 ÷ 3	50 - 10	48 ÷ 8
30 + 20	50 - 21	6 x 6	36 ÷ 6	40 - 15	9 ÷ 3


# Concurrent Coding

**Concurrent codes** are events that happen at the same time. It is the opposite of **sequential codes**, which happen one after the other.

**Part 1** Write two separate codes as the train and plane race to the building.

Look out for the towers and trees! Make sure you code around these obstacles.

Plane						
Train						



Who won?

Train = \_\_\_\_\_ spaces


Plane = \_\_\_\_\_ spaces



**Part 2** Write two separate codes as the cheetah and ostrich race to the hole.

Look out for the bushes! Make sure you code around them.

Cheetah						
Ostrich						



Who won?

Cheetah = \_\_\_\_\_ spaces

Ostrich = \_\_\_\_\_ spaces



## Coding – Defined Count

A **defined count** is the number of times instructions are repeated based on a predefined value or until a condition is met.

In the example, if the mouse is clicked, the conditional code is performed until the condition is met. The condition has been predefined - set to 5. When 5 "draw" strokes have been completed, the code ends. This conditional statement could have been set to any number, or until the circle has been coloured completely.

### Example:

when mouse is clicked

set **draw** to 5

If **draw** is clicked

colour shape **draw** times

Original



Output



Draw the output pictures and draw the output pictures or answer the question.

when mouse is clicked

set **draw** to until picture is drawn

when enter is pressed

set **colour** to blue

if **draw** is clicked then

colour shape **colour**

Original



Output

draw



when mouse is clicked


set **lap** to 4

if **start** is clicked

perform **lap** laps around track

Original

start



How many laps will the runner complete?

when mouse is clicked

set **draw** to 20

when enter is pressed


set **colour** to yellow

if **draw** is clicked then

perform **draw** # using **colour** pen


Original

draw



Output

draw



## Using Subprograms in Coding

A **subprogram** is a small set of instructions that does one specific job. You can reuse it whenever you need that job done again. It helps keep your code neat and saves time.

For example, if you're programming a robot to turn around, you could make a subprogram called **TurnAround**. Then, instead of writing the turn steps every time, you just call **TurnAround** whenever the robot needs to spin.

### Instructions

Use a subprogram in your code that gets the truck to the foods below



**Example: Pickup some popcorn, a hot dog, and an apple**

```
subprogram move9right
move forward 9 spaces
turn right
```

```
loop 3 times
  run move9right subprogram
```

```
move forward 4 spaces
```

```
turn right
```

```
move forward 1 space
```

**Instructions**

Use a subprogram in your code that gets the truck to the foods below

1) From the truck's starting position, move the truck to the pineapple, then carrot, and then back to its starting position.



2) From the truck's starting position, move the truck to the cupcake, then watermelon, and then back to its starting position.



3) From the truck's starting position, move the truck to the apple, then pretzel, and then chicken drumstick.



## Using Subprograms in Coding

### Instructions

Use subprograms to write efficient code that gets the robot to pick up the toys and return them to the toy bin. The robot can only handle one toy at a time. There may be more than one toy at each location (x2, x3, etc.).



1) Pick up 2 yo-yo's and return them to the toy bin.

2) Pick up 4 dice and return them to the toy bin.

Name: \_\_\_\_\_

203

Curriculum Connection  
C3.1

3) Pick up 5 balloons and 2 cars and return them to the toy bin.

4) Pick up kites and balls and return them to the toy bin.

5) Pick up 4 trophies, 3 drums, and 2 guitars and return them to the toy bin.

**PREVIEW**

## Unit Test Coding

### Part 1

Use as few lines as possible to write efficient code.


Move the robot home by writing the least number of lines as possible.

Code

```

_____
_____
_____
_____
_____
_____
_____
_____
_____
_____

```



Lines of code written: \_\_\_\_\_

### Part 2


Write code that sends the runner around the track.

2. Use a loop to send the runner 4500 metres.

```

Line 1: _____
Line 2: _____
Line 3: _____
Line 4: _____
Line 5: _____
Line 6: _____
Line 7: _____

```



1 lap = 450 metres

## Part 3

Write what the computer would reply with based on the code written.

Code Written	The Computer Replied	Code Written	The Computer Replied
$y = 33$ $x + y = 85$ print (x)	— —	$y = 8$ $3y + x - 5 = 20$ print (x)	—
$x = 90$ $x + y = 35$ print (y)	—	$x = 63$ $x + y + 22 = 29$ print (y)	—

Part 4 Write the answer to the question and then run the code.

Code Written	The Computer Prints...
If answer is $>90$ , then print "Great job!" If answer is $<90$ , then print "Try again!" run $7 \times 11 + 12$	
If y is $<150$ , then print "Better luck next time!" If y is $>150$ , then print "Wow, great job!" run $y = 5 \times 20 + 55$	

## Part 5

Read the code and describe what will happen.

when enter is pressed
set shape as hexagon
set colour as blue
loop 10 times
if mouse is clicked then
draw shape using colour
loop forever times
if spacebar is pressed
sound horn
flash front lights

Description